

12. BIBLIOGRAFÍA

- Abe, H.; Hawatori, Y.; Teraoka, H.; Fujimoto, K.; Inouye, M. Synthesis and molecular recognition of pyrenophanes with polycationic or amphiphilic functionalities: artificial plate-shaped cavitand incorporating arenes and nucleotides in water. *J. Org. Chem.* **2004**, 69, 495-504.
- Armitage, B.; Yu, C.; Devadoss, C.; Schuster, G. B. Cationic anthraquinone derivatives as catalytic DNA photonucleases: mechanism for DNA damage and quinone recycling. *J. Am. Chem. Soc.* **1994**, 116, 9847-9859.
- Atkins, P.W. *Physical chemistry*. Seventh edition, Oxford university press, **2000**, pp. 698-706.
- Baudoin, O.; Telaude-Fichou, M.-P.; Vigneron, J. P.; Lehn, J.-M. Cyclobisintercaland macrocycles: Synthesis and physicochemical properties of macrocycles polyamines containing two crescent-shaped dibenzophenanthroline subunits. *J. Org. Chem.* **1997**, 62, 5458-5470.
- Bianchi, A.; Bowman, J. K.; García, E. *Supramolecular chemistry of anions*. Wiley-VCH, U.S.A, **1997**, pp. 421-423.
- Braña, M. F.; Cacho, A.; Gradillas, B.; Pascual, T.; Ramos, A. Intercalators as anticancer drugs. *Currents Pharmaceutical Design*. **2001**, 7, 1745-1780.
- Butterfield, S. M.; Sweeney, M. M.; Waters, M. L. The recognition with model β -hairpin receptors: Investigation of critical contacts and nucleotide selectivity. *J. Org. Chem.* **2005**, 70, 1105-1114.
- Chaires, B. J.; Dattagupta, N.; Crothers, M. D. Self-association of daunomycin. *Biochemistry*. **1982**, 21, 3, 927-3932.
- Chang, R. *Química*. Séptima edición, Mc Graw Hill, Colombia, **2002**, pp. 419.
- Claude, S.; Lehn, J.-M.; Schmidt, F.; Vigneron, J. P. Binding of nucleosides, nucleotides and anionic planar substrates by bis-intercaland receptor molecules. *J. Chem. Soc; Chem. Comm.* **1991**, 1182-1885.
- Connors, K. A. *Binding constants. The measurement of molecular complex stability*. John Wiley and Sons, USA, **1987**, pp. 339-340.
- Cram, D. J., Cram, J. M. *Containers molecular and their guests*. Monographs in supramolecular chemistry series. The Royal Chemical Society, **1994**, pp. 1-4.
- Del Río, J. M.; Jones, M. N. Thermodynamics of the hydrophobic effect. *J. Phys. Chem. B*. **2001**, 105, 1200-1211.
- Dhaenens, M.; Lehn, J.-M.; Vigneron, J. P. Molecular recognition of nucleosides, nucleotides and anionic planar substrates by water-soluble bis-intercaland-type receptor molecule. *J. Chem. Soc. Perkin Trans 2*. **1993**, 1379-1381.
- Dodziuk, H. Introduction to supramolecular chemistry. Kluwer academic publishers, **2002**, pp. 1-2, 21-25.
- Foresman, J. B.; Frisch, A. *Exploring chemistry with electronic structure methods*. Second edition, Gaussian Inc, **1996**, pp 3-6.
- Gaussian 03, Revision C.02, Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Montgomery, Jr., J. A.; Vreven, T.; Kudin, K. N.; Burant, J. C.; Millam, J. M.; Iyengar, S. S.; Tomasi, J.; Barone, V.; Mennucci, B.; Cossi, M.; Scalmani, G.; Rega, N.; Petersson, G. A.; Nakatsuji, H.; Hada, M.; Ehara, M.; Toyota, K.; Fukuda, R.; Hasegawa, J.; Ishida, M.; Nakajima, T.; Honda, Y.; Kitao, O.; Nakai, H.; Klene, M.; Li, X.; Knox, J. E.; Hratchian, H. P.; Cross, J. B.; Bakken, V.; Adamo, C.; Jaramillo, J.; Gomperts, R.; Stratmann, R. E.; Yazyev, O.; Austin, A. J.; Cammi, R.; Pomelli, C.; Ochterski, J. W.; Ayala, P. Y.; Morokuma, K.; Voth, G. A.; Salvador, P.; Dannenberg, J. J.; Zakrzewski, V. G.; Dapprich, S.; Daniels, A. D.; Strain, M.

- C.; Farkas, O.; Malick, D. K.; Rabuck, A. D.; Raghavachari, K.; Foresman, J. B.; Ortiz, J. V.; Cui, Q.; Baboul, A. G.; Clifford, S.; Cioslowski, J.; Stefanov, B. B.; Liu, G.; Liashenko, A.; Piskorz, P.; Komaromi, I.; Martin, R. L.; Fox, D. J.; Keith, T.; Al-Laham, M. A.; Peng, C. Y.; Nanayakkara, A.; Challacombe, M.; Gill, P. M. W.; Johnson, B.; Chen, W.; Wong, M. W.; Gonzalez, C.; and Pople, J. A.; Gaussian, Inc., Wallingford CT, 2004.
- Gilmore, J. C.; Bryan, R. F.; Kupchan, S. M. Conformation and reactivity of the macrocyclic tumor-inhibitory alkaloid tetradrine. *J. Am. Chem. Soc.*, **1976**, 98, 1947-1952.
- Godoy-Alcántar, C.; Eliseev, A. V.; Yatsimirsky, A. K. Molecular recognition by natural macrocycles. I. d-tubocurarine as a host molecule for organic anions. *J. Mol. Recognit.* **1996**, 353-361.
- Hobza, P.; Havlas, Z. Blue-shifting hydrogen bonds. *Chem. Rev.* **2000**, 100, 4253-4264.
- Hunter, C. A.; Sanders, J. K. M. The nature of π - π interactions. *J. Am. Chem. Soc.* **1990**, 112, 5525-5534.
- Hunter, C. A.; Lawson, K. R.; Perkins, J.; Urch, C. J. Aromatic interactions. *J. Chem. Soc.; Perkin Trans. 2*. **2001**, 651-669.
- Hypercube Inc. HyperChem release 6.03 for windows: reference manual. **1996**, pp. 22-23, 101.
- Israelachvili, J. N. *Intermolecular and surfaces forces*. Academic press, **1985**.
- Izzat, R. M.; Pawlok, K.; Bradshaw, J. S. Thermodynamic and kinetic data for macrocycle interaction with cations and anions. *Chem. Rev.* **1991**, 91, 1721-2085.
- Joseph, J.; Eldho, N. V.; Ramaiah, D. Design of photoactivated DNA oxidizing agents: synthesis and study of photophysical and DNA interactions of novel viologen-linked acridines. *Chem. Eur. J.* **2003**, 9, 5926-5935.
- Kejlik, Z.; Záruba, K.; Michalik, D.; Sebek, J.; Dian, J.; Pataridis, S.; Volka, K.; Král, V. Optical sensing system for ATP using porphyrin-alkaloid conjugates. *Chem. Comm.* **2006**, 1533-1535.
- Kwon, J. Y.; Singh, J. N.; Kim, H. N.; Kim, S. K.; Kim, K. S.; Yoon, J. Fluorescent GTP-sensing in aqueous solution of physiological pH. *J. Am. Chem. Soc.* **2004**, 126, 8892-8893.
- Lee, J. H.; Kang, G. H.; Kim, K. C.; Kim, K. M.; Park, D. I.; Choi, B. T.; Kang, H. S.; Lee, Y. T.; Choi, Y. H. Tetradrine-induced cell cycle arrest and apoptosis in A549 human lung carcinoma cells. *Int. J. Oncol.* **2002**, 21, 1239-1244.
- Lehn, J.-M. *Supramolecular Chemistry. Concepts and perspectives*. Wiley-VCH, Federal Republic of Germany, **1995**, pp. 1-35.
- Lehninger, A. L. *Bioquímica. Las bases moleculares de la estructura y función celular*. 2da. Edición. Editorial omega, **1995**, pp. 315 y 325.
- Li, L.; Shuyin, S.; Qun, Y.; Qingfu, Z.; Huijun, X. Photoinduced electron transfer and charge separation in anthraquinone-substituted porphyrin-phthalocyanine heterodimer. *J. Chem. Soc. Chem. Comm.* **1991**, 9, 619-20.
- Li, X.; Liu, L.; Schlegel, B. On the physical origin of blue-shifted hydrogen bonds. *J. Am. Chem. Soc.* **2002**, 124, 9639-9647.
- Liu, Y.; You, C. C.; Zhang, H. Y.; Zhao, Y. L. Enantioselective recognition of aliphatic aminoacids by β -cyclodextrin derivatives bearing aromatic organoselenium moieties on the primary or secondary side. *Eur. J. Org. Chem.* **2003**, 1415-1422.
- Ma, J. C.; Dougherty, D. A. The cation- π interaction. *Chem. Rev.* **1997**, 97, 1303-1324.
- Machuca, H. J. O. Nonlinear curve fitting using spreadsheets. *J. Chem. Educ.* **1997**, 74, 448-449.

- Mathews, C. K.; Van Holde, K. E. *Biochemistry*. Benjamin/Cummings press. **1996**, pp. 26-35.
- Mecozzi, S.; West, P. A.; Dougherty, D. A. Cation- π interactions in aromatics of biological and medicinal interest: electrostatic potential surfaces as a useful qualitative guide. *Proc. Natl. Acad. Sci.* **1996**, 93, pp. 10566-10571.
- Meyer, E. A.; Castellano, R. K.; Diederich, F. Interactions with aromatic in chemical and biological recognition. *Angew. Chem. Int. Ed. Eng.* **2003**, 42, 1211-1250.
- Microcal Software, Inc. Origin 3.0: Reference manual (114-117) and supplement (35-37, 39-53 y 79-86). Technical graphics and data analysis in windows, **1993**.
- Morrison, R. T.; Boyd, R. N. *Química Orgánica*. Addison Wesley Longman. Quinta edición, México, **1998**, pp. 23.
- Müller D. K.; Hobza, P. Noncovalent interactions: a challenge for experiment and theory. *Chem Rev.* **2000**, 100, 143-167.
- Neelakandan, P. P.; Hariharan, M.; Ramaiah, D. Synthesis of a novel cyclic donor-acceptor conjugate for selective recognition of ATP. *Org. Lett.* **2005**, A-D.
- Ochoa Lara, K. Tesis doctoral titulada "Reconocimiento molecular con los derivados semisintéticos del macrociclo natural tetrandrina", **2003**, Cuernavaca, Morelos, México.
- Ochoa Lara, K.; Godoy-Alcantar, C.; Eliseev, A. V.; Yatsimirsky, A. K. Recognition of α -aminoacid derivatives by N,N'-dibenzylated S,S-(+)-tetrandrine. *Org. & Biomol. Chem.* **2004**, 2, 1712-1718.
- Ochoa Lara, K.; Godoy-Alcántar, C.; León, R. I.; Eliseev, A. V.; Yatsimirsky, A. K. Complexation of dicarboxilates and phosphates by a semisynthetic alkaloid - based cyclophane in water. *J. Phys. Org. Chem.* **2001**, 14, 453-462.
- Ochoa Lara, K.; Godoy-Alcántar, C.; Eliseev, A. V.; Yatsimirsky, A. K. Ester cleavage by S,S-(+)-tetrandrine derivative bearing thiol groups. *ARKIVOC.* **2005** (vi), 293-306.
- Pavia, D. L.; Lampman, G. M.; Kriz, G. S. *Introduction to spectroscopy. A guide for students of organic chemistry*. Second edition, Saunders college publishing, **1996**, pp. 96-98.
- Pearce, C. M.; Gerhard, U.; Williams, D. H. Ligands which bind weakly to vancomycin: studies by ^{13}C NMR spectroscopy. *J. Chem. Soc. Perkin Trans. 2*. **1995**, 159-1162.
- Reitz, J. R. *Fundamentos de la teoría electromagnética*. Tercera edición, Addison Wesley, México, **1986**, pp. 27-28; 44-45 y 122.
- Rouessac, F.; Rouessac, A. *Métodos y técnicas instrumentales modernas. Teoría y ejercicios resueltos*. Mc Graw Hill, **2003**, pp. 153-159; 198-202.
- Schneider, H. J. Linear free energy relationship and pairwise interactions in supramolecular chemistry. *Chem. Soc. Rev.* **1994**, 227-234.
- Schneider, H. J. Mechanism of molecular recognition: Investigations of organic host-guest complexes. *Angew. Chem. Int. Ed. Eng.* **1991**, 30, 1417-1436.
- Schneider, H. J.; Yatsimirsky, A. K. *Principles and methods in supramolecular chemistry*. John Wiley and Sons, England, **2000**, pp. 69-110; 177-185.
- Sebo, L.; Diederich, F.; Gramlich, V. Tetrakis(phenylamidinium)-substituted resorcin[4]arene receptors for the complexation of dicarboxilates and phosphates in protic solvents. *Helv. Chim. Acta.* **2000**, 83, 93-113.
- Seyama, F.; Akahori, K.; Sakata, Y.; Misumi, S.; Aido, M.; Nagata, C. Synthesis and properties of purinophanes: Relationship between the magnitude of hypochromism and stacking geometry of purine rings. *J. Am. Chem. Soc.* **1988**, 110, 2192-2201.

- Sidman, J. W. The electronic spectra and structure of the quinines. *J. Am. Chem. Soc.* **1956**, *78*, 4567-4572.
- Sirish, M.; Schneider H. J. Highly efficient complexations of a porphyrin dimer with remarkably differences between nucleosides and nucleotides/ the predominance of stacking interactions for nucleic acid components. *J. Am. Chem. Soc.* **2000**, *122*, 5881-5882.
- Skoog, D. A.; Holler, E. J. *Principios de análisis instrumental*. Quinta edición. McGraw Hill, **2001**, pp. 322-329; 387, 392.
- Slama-Schwork, A.; Telaude-Fichou, M.-P.; Vigneron, J.-P.; Taillander, E.; Lehn, J.-M. Selective Binding of a Macrocyclic Bisacridine to DNA Hairpins. *J. Am. Chem. Soc.* **1995**, *117*(26); 6822-6830.
- Smith, J. P.; Hinson-Smith, V. High-resolution NMR gets even better. *Anal. Chem.* **2001**, *73*, 155 A-158 A.
- Speight, J. G. *Lange's handbook of chemistry*. Sixteenth edition, McGraw-Hill, **2005**, pp. 1.307-1.308.
- Stanculescu, I.; Mandravel, C.; Delattre, F.; Landy, D.; Woisel, O.; Surpateanu, G. Cation binding characteristics of tetrandrine studied by UV-Vis absorption and fluorescence spectroscopies. *Photochem. Photobiol. A*. **2003**, *161*, 79-85.
- Steed, J. W.; Atwood, J. L. *Supramolecular chemistry*. Wiley and Sons, England, **2000**, pp. 1-33.
- Tautges, A. Determination of solvent effects on the fluorescence spectra of anthracene anthrone by measuring the stokes shift. *J. Phys. Chem. Lab.* **2002**, *4*, 8-12.
- Telaude-Fichou, M.-P.; Vigneron, J.-P.; Lehn, J.-M. Detection of organic anions through complexation enhanced fluorescence of a macrobicycle tris-acridines cryptand. *J. Chem. Soc., Perkin Trans. 2*. **1996**, 2169-2175.
- Thevand, A.; Stanculescu, I.; Mandravel, C.; Woisel, P.; Surpateanu, G. Total assignment and structure in solution of tetrandrine by NMR spectroscopy and molecular modeling. *Spectrochim. Acta. A*. **2004**, *60*, 1825-1830.
- Turgut, Y.; Işgin, E. S.; Hoşgören, H. Synthesis of novel chiral monoaza-15-crown-5 ethers and their molecular recognition of amino acid esters. *Journal of Chemical Research*. **2004**, 605-607.
- Valeur, B. *Molecular fluorescence. Principles and applications*. Wiley-Vch, **2002**, pp. 34-45, 214.
- Wada, K.; Mizutani, T.; Matsuoka, H.; Kitagawa, S. A new strategy for the design of water-soluble synthetic receptors: specific recognition of DNA intercalators and diamines. *Chem. Eur. J.* **2003**, *9*, 2368-2380.
- Walas, S. M. *Phase equilibria in chemical engineering*. Butterworth-Heinemann Boston, **1985**, pp. 12.
- Wettig, D. S.; Bare, G. A.; Skinner, R. J. S.; Lee, J. S. Signal transduction through dye-labeled m-DNA y-branched junctions: switching modulated by chemical reduction of anthraquinone. *Nano Letters*. **2003**, *3*, 5, 617-622.