

REFERENCIAS BIBLIOGRAFICAS

- A.O.A.C. 1990. Official methods of analysis, 15th ed. Association of Official Analytical Chemists, Washington, DC.
- Aguilar P.F. 1994. Aplicación del proceso del ahumado en caliente a dos especies de pescado de bajo valor comercial: lisa (*Mugil cephalus*) y cazón (*Mustelus lunulatus*). Tesis de Licenciatura. Universidad de Sonora, Hermosillo, Sonora.
- Aguilar, F. J., Ezquerra, J.M., Cárdenas, J.L., Ramírez, R. y Castillo, F.J. 1995. Evaluación química y microbiológica de lisa (*Mugil cephalus*) y cazón (*Mustelus lunulatus*) ahumados durante su almacenamiento a temperatura ambiente. Revisión de Ciencias Alimentarias. Vol. 2, No. 2, 23-26
- Alonge, D.O. 1988. Carcinogenic polycyclic aromatic hidrocarbons (PAH) determined in Nigerian Kundi (smoked dried meat). J. Sci. Food Agric. Vol. 43:167-172.
- American Cancer Society. Junio, 1999. Cáncer de estómago: ¿Qué es?.
http://www3.cancer.org/cancerinfo/main_cont.asp?st=wi&ct=40#stats
- Aminullah, A.K.M. 1986. Stability of lipids and polyunsaturated fatty acids during smoking of Atlantic mackerel (*Scomber scombrus*). JAACS, Vol. 63(3):324-328.
- Anuario Estadístico del Estado de Sonora. Ed. 1999. INEGI. Pp. 353.

- Badger, G.M., Kimber, R.W.L. and Spotswood, T.M. 1960. Nature, 178, 63 citado en Gilbert y Knowles, 1975.
- Bang, H.O., Dyerberg, J., and Sinclair, H.M. 1980. The composition of the eskimofood in North Western Greenland. Am. J. Clin. Nutr. 33(12):2567-2571
- Barylko-Picielna, N. 1977. Contribution of smoke compounds to sensory, bacteriostatic and antioxidative effects in smoke foods. Pureappl. Chem. Vol. 49. Pergamon Press.
- Bertullo, H. 1975. **Tecnología de los productos y subproductos de pescados, moluscos y crustáceos.** Ed. Buenos Aires. Argentina.
- Blig, E.G., and Dyer, W.J. 1959. A rapid method of total lipid extraction and purification. J. Biochem. Physiol. Vol. 37:911.
- Bligh, E.G. , Shaw, J.S. and Woyewoda, A.D. 1988. Effects of drying and smoking on lipids of fish. Technical University of Nova Scotia, Nova Scotia, Canada.
- Borek, C. 1990. Mechanisms in cancer prevention by dietary antioxidants. In: nutrients and cancer prevention. Edited by K. N. Prasad and F. L. Meyskens, Jr. Pp. 71-78. The Humana Press, Clifton, NJ. Citado por Stavric, 1994.)
- Braden, L.A. and Carroll, K.K. 1986. Dietary polyunsaturated fat in relation to mammary carcinogenesis in rats. Lipids. 6:21:285-288

- Burgues, G. 1987. **El pescado y las industrias derivadas de la pesca.** Ed. Acribia, 2^a reimpresión. Zaragoza, España.
- Burgos-Hernández, A. 1998. Evaluation of chemical treatments and intrinsic factors that affect the mutagenic potential of aflatoxin B1-contaminated corn. Ph. D. Dissertation. The Department of Food Science. Louisiana State University and Agricultural and Mechanical College, Barton Rouge, Louisiana, EE.UU.
- Burt, J.R. 1988. **Fish smoking and drying.** Elsevier Science Publishers LTD. NY, USA. Pp. 73-78
- Cancer Resource Center. 1999. Special section: Colorectal cancer.
<http://www.cancer.org/statistics/index.htm>.
- Chen, B.H., Wang, C.Y., and Chiu, C.P. 1996. Evaluation of analysis of polycyclic aromatic hidrocarbons in meat products by liquid chromatography. *J. Agric. Food Chem.* 44: 2244-2251. Department of nutrition and food sciences, fujen catholic university.
- Choi, S. H. and Moon, S. H. 1997. Antimutagenic effect of volatile aroma compounds identified from green tea. *Foods and Biotechnol.*, 6(2):83-86.
- Cohen, L.A. 1983. Diet and Cancer. *Scientific American.* 257(5): 42-48.
- Daun, H. 1979. Interaction of wood smoke components and foods. *Journal of Food Technology*, 33(5):66-70

- Dashwood, R.H., Arbogast, D.N., Fong, A.T., Hendricks, J.D., and Bailey, G.s. 1988. Mechanisms of anticarcinogenesis by Indole-3-Carbinol: Detailed *in vivo* DNA binding dose-response studies after dietary administration with aflatoxin B₁. *Carcinogenesis*, 9(3):427-432.
- De Chavez, M.M., Hernández, M., y Roldan, J.A. 1992. Valor nutritivo de los alimentos de mayor consumo en México. ed. 2^a. Comisión Nacional de Alimentación. Instituto Nacional de la Nutrición Salvador Zubirán.
- Derache, R. 1990. **Toxicología y seguridad de los alimentos**. Ediciones Omega, S.A. Barcelona.
- Dipple, A. 1983. Formation, metabolism, and mechanism of action of polycyclic aromatic hydrocarbons. *Cancer Research*. Vol. 43: 2422-2425.
- Dipple, A., Cheng, S.C., and Bigger, C.A.H. 1990. Polycyclic aromatic hydrocarbon carcinogens. In "Mutagens and carcinogens in the diet", ed. M.w. Pariza, J.S. Felton, H.U. Aeschbacher and S.Sato. Wiley-Liss Inc., New York. Pp. 109-127.
- Doe, E.P. 1998. **Fish drying & smoking. Production and quality**. University of Tasmania. Pp. 223.
- Doll, R. and Peto, R. 1981. The causes of cancer: Quantitative estimates of avoidable risks of cancer in the United States today. *J. Natl. Cancer Inst.* 66:1192-1308.
- Doremire, M.E., Harmon, G.E. and Pratt, D.E. 1979. 3,4-benzopyrene in charcoal grilled meat. *Journal Food Sci.* 44, 622.

- Doolittle, D.J., Rahn, C.A., Burger, G.T., Lee, C.K., Reed, B., Riccio, E., Howard, G., Passananti, G.T., Vesell, E.S. and Hayes, A.W. 1989. Effect of cooking methods on the mutagenicity of food and on urinary mutagenicity of human consumers. *Food Chem. Toxic.* Vol. 27(10): 657-666.
- Escobosa, E. y Nieto, J. 1992. Elaboración de un producto tipo botana a partir de trigo cristalino y fielete de cazón. Tesis de Licenciatura, Universidad de Sonora. Hermosillo, Sonora.
- Expert Panel on Food Safety & Nutrition. 1993. Potential mechanisms for food-related carcinogens and anticarcinogens. *Food Techn.* Office of Scientific Public Affairs. Scientific Status Summary. Pp. 105-118
- Ezquerra, M. 1986. Elaboración de jurel en escabeche y evaluación de sus propiedades químicas, microbiológicas, y sensoriales durante el almacenamiento a temperatura ambiente. Tesis de Licenciatura. Universidad de Sonora. Hermosillo, Sonora.
- Firozi, P.F., Aboobaker, V.S., and Bhattacharya, R.K. 1986. Modulation by certain factors of metabolic activation of aflatoxin B₁ as detected In vitro in a sample fluorimetric assay. *Chem. Biol. Interactions.* Elsevier Scientific Publishers Ireland Ltd. Pp. 173-184.
- Fritsche, K.L. and Johnston, P. V. 1990. Effect of dietary alpha-linolenic acid on growth, metastasis, fatty acid profile and prostaglandin production of two murine mammary adenocarcinomas. *J. Nutr.* 120(12):2015-2019.

- Fritz, W. 1973. Formation of carcinogenic hydrocarbons during thermal treatment of foods. VI. Investigation of the contamination of cereals resulting from smoke drying. *Nahrung*, 18, 83, citado en Maga, 1988.
- Gilbert, J. and Knowles, M.E. 1975. The chemistry of smoked foods: a review. *Journal of Food Technology*. 10(3):245
- Garner, R.C., Miller, E.C. and Miller, J.A. 1972. Liver microsomal metabolism of aflatoxin B₁ to a reactive derivative toxic to *Salmonella typhimurium* TA 1530. *Cancer Res.* 32: 2058-2066.
- Golstein, A. y Aronow, L. 1979. **Farmacología**. Ed. Limusa. México, D.F.
- Grimmer , G. and Bohnke, H. 1975. *Journal of the Association of Official Analytical Chemist*. 58:725, citado en Hamm, R. 1977. Analysis of smoke and smoked foods. *Pure & Applied Chemistry*. 49: 1655-1666
- Guengerich, F.P., and Tsutomu, S. 1991. Oxidation of toxic and carcinogenic chemicals by human cytochrome P-450 enzymes. *Chemical Research in Toxicology*. Vol. 4(4): 391-407.
- Hamm, R. 1977. Analysis of smoke and smoked foods. *Pure & Applied Chemistry*. Vol. 49:1655-1666.
- Hasegawa, R., Chujo, T., Sai-Kato, K., Umemura, T., Tanimura, A. and Kurokawa, Y. 1995. Preventive effects of green tea against liver oxidative DNA damage and hepatotoxicity in rats treated with 2-Nitropropano. *Food Chem. Toxic.* Vol. 33(11):961-970. Elsevier Science Ltd.

- Fritz, W. 1973. Formation of carcinogenic hydrocarbons during thermal treatment of foods. VI. Investigation of the contamination of cereals resulting from smoke drying. *Nahrung*, 18, 83, citado en Maga, 1988.
- Gilbert, J. and Knowles, M.E. 1975. The chemistry of smoked foods: a review. *Journal of Food Technology*. 10(3):245
- Garner, R.C., Miller, E.C. and Miller, J.A. 1972. Liver microsomal metabolism of aflatoxin B₁ to a reactive derivative toxic to *Salmonella typhimurium* TA 1530. *Cancer Res.* 32: 2058-2066.
- Golstein, A. y Aronow, L. 1979. **Farmacología**. Ed. Limusa. México, D.F.
- Grimmer , G. and Bohnke, H. 1975. Journal of the Association of Official Analytical Chemist. 58:725, citado en Hamm, R. 1977. Analysis of smoke and smoked foods. *Pure & Applied Chemistry*. 49: 1655-1666
- Guengerich, F.P., and Tsutomu, S. 1991. Oxidation of toxic and carcinogenic chemicals by human cytochrome P-450 enzymes. *Chemical Research in Toxicology*. Vol. 4(4): 391-407.
- Hamm, R. 1977. Analysis of smoke and smoked foods. *Pure & Applied Chemistry*. Vol. 49:1655-1666.
- Hasegawa, R., Chujo, T., Sai-Kato, K., Umemura, T., Tanimura, A. and Kurokawa, Y. 1995. Preventive effects of green tea against liver oxidative DNA damage and hepatotoxicity in rats treated with 2-Nitropropano. *Food Chem. Toxic.* Vol. 33(11):961-970. Elsevier Science Ltd.

- Henderson, B.E. 1990. Summary report of the sixth symposium on cancer registries and epidemiology in the Pacific basin. *J. Natl. Cancer Inst.* 82:1186-1190.
- Henderson, D.E., Block, G. and Levine, M. 1991. Ascorbic acid:biologic functions and relation cancer. *Journal of the National Cancer Institute.* Vol. 83: 547-550.
- Hopia, A., Hyysalo, H. and Wickstrom, K. 1986. Margarines, butter and vegetable oil as sources of polycyclic aromatic hydrocarbons. *J. Assoc. Off. Anal. Chem.* 63: 889-893.
- IARC. 1987. IARC Monographs on the evaluation of carcinogenic risks to humans. Suppl. 7. world Health Org., Intl Agency for Research on Cancer, Lyon, France. Citado por: Expert Panel on Food Safety & Nutrition. 1993.Potential mechanisms for food-related carcinogens and anticarcinogens. Food Techn. Office of Scientific Public Affairs. Scientific Status Summary.
- Lampila, L.E. 1986. Seafood Lipids: Analysis and Health benefits. *Department of Food Science and Techn.* 10:11 497-515.
- Larsen, B.K., Sahlberg, G.P., Eriksson, A.T. and Busk, L.A. 1983. Polycyclic aromatic hydrocarbons in grilled food. *Journal of Agriculture Food Chemistry.* 31:867-873.

- Lawrence, J. F. and Weber, D.F. 1984. Determination of polycyclic aromatic hydrocarbons in Canadian samples of processed vegetable and dairy products by liquid chromatography with fluorescence detection. *J. Agric. Food Chem.* 32: 789-797.
- Lenges, J. 1972. Review Frement. *Ind. Aliment.* 27,53 citado por Gilbert y Knowles, 1975.
- Loarca-Piña, G., Kuzmicky, P.A., de Mejía, E.G., Kado, N.Y. and Hsieh, D.P.H. 1996. Antimutagenicity of Ellagic acid against aflatoxin B1 in the *Salmonella* microsuspension assay. *Mutation Res.* 360:15-21.
- Macrae, R. 1988. HPLC in food analysis. 2^a ed. Ed. Academic Press. London, U.K. pp. 378-382.
- Maga, J. 1988. **Smoke in food processing.** CRC Press, Inc. Boca Raton, Florida, USA.
- Maron, D.M. and Ames, B.N. 1983. Revised methods for the *Salmonella* mutagenicity test. *Mutation Res.*, 113:173-215.
- Matsushima, T.M., Sawamura, K. Hara and T. Sugimura. 1976. A Safe substitute for polychlorinated biphenyls as an inducer of metabolic activation system in: F.J. de Serres, J.R. Fouts. J.R. Bend and R.M. Philpot (Eds.). *In vitro metabolic activation in mutagenesis testing* Elsevier/North-Holland. Amsterdam. Pp.85-88.

Mergens, W. J., Chau, J., and Newmarl, H.I. 1980. Nitrocompounds: analysis, formation, and occurrence. IARC Scientific Publications: Lyon, 30:259-267, citado por Burgos-Hernández, 1998.

Ministerio de pesquería. 1999. Especies marinas.

<http://www.MINIPES.GOB.PE/iNDEX.HTM>

Möhler, K. 1984. El ahumado. Ed. Acribia. Zaragoza, España. Pags. 29-35, 64-65.

Muñoz, N. and Franceschi, S. 1997. Epidemiology of gastric cancer and perspectives for prevention. Salud Pública. México.

Moret, S., Conte, L., and Dean, D. 1999. Asssement of polycyclic aromatic hydrocarbon content of smoked fish by means of a Fast HPLC/HPLC method. Journal Agric. Food Chem. Vol. 47:1367-1371.

Namiki, M. 1994. Antimutagen and anticarcinogen researcha in japan. In: "Food phytochemicals for cancer prevention, citado en Burgos-Hernández, 1998.

National Cancer Institute. 1999. Possible causes of stomach cancer.

Healthtouch Online for Better Helath.

<http://www.healthtouch.com/level1/leaflets/NCI030.htm>

- NAS. 1982. Diet Nutrition and Cancer, Natl. Acad. Of Sciences, Natl. Acad, Press, Washington, D.C. citado por: Expert Panel on Food Safety & Nutrition. 1993. Potential mechanisms for food-related carcinogens and anticarcinogens. Food Techn. Office of Scientific Public Affairs. Scientific Status Summary.
- O'Connor, T.P., Roebuck, B.D. and Campbell, T.L. 1987. Effect of varying dietary omega-3: omega-6 fatty acid ratio on L-azaserine induced preneoplastic development in rat pancreas. In: Lands WEW, ed. Proc. AOCS Short course on polysaturated fatty acids and eicosanoids champaign, IL: American Oil Chemists Society, 238-240.
- Otha, T., Watanabe, M., Shirasu, Y. and Inoue, T. 1988. Post-replication repair and recombination in *uvrA umuC* strains of *Escherichia coli* are enhanced by vanillin, an antimutagenic compound. Mutation Res. 201: 107-112.
- Packer, L. 1992. Interactions among antioxidants in health and disease: vitamin E and its redox cycle. Proceedings of the Society for Experimental Biology and Medicine Vol. 202: 699-706, citado en Stavric, 1994.
- Paganelli, G.M., Biasco, G., Brandi, G., Santucci, R., Gizzi, G., Villani, V., Cianci, M., Miglioli, M. and Barbara, L. 1992. Effects of vitamin A, C and E supplementation in patients with colorectal adenomas. Journal of the National Cancer Institute. Vol. 84: 47-51.

- Pérez, S.L. 1985. **Higiene y control de los productos de la pesca.** 1^a. Ed. Editorial CECSA. México, D.F.
- Pfeiffer, E. H. 1973. Zbl. Bakt. Hyg. I. Abt., Orig. B158.69, citado en Hamm, 1977.
- Pott, F. 1973. Brookhaus and F. Huth. Zbl. Bakt. Hyg. I. Abt., Orig. B157,34, citado en Hamm, 1977.
- Pszczola, E.D. 1995. Tour highlights production and uses of smoke-based flavors. Food Technol. January: 70-74.
- Renner, H.W. and Delincee, H. 1988. Different antimutagenic actions of linoleic and linolenic acid derivativesmon Busulfan-induced genotoxicity in Chinese Hamsters. Nutrition Research. Vol. 8. Pp. 635-642.
- Rodríguez, M.M. y Gónzalez, S. 1984. **Tecnología de los productos marinos.** Editorial Pueblo y Educación. La Habana Cuba.
- Rojanapo, W. And Tepsuwan, A. 1993. Antimutagenic and mutagenic potentials of Chinese Radish. Environ. Hlth. Persp. 101(Suppl. 3):247-252
- Rose, D. P. and Conolly, J. M. 1991. Effects of fatty acids and eicosanoid synthesis inhibitors on the growth of two human prostate cancer cell lines. Prostate; 18(3):243-254.
- Ruiz.F. 1978. **Recursos pesqueros de las costas de México.** Limusa, México. págs. 67-68.

- Secretaría de Pesca. 1993. Servicio de actualización pesquera. No. 32. Sistema Nacional Integrado de Información, Sector Pesca. México, D.F.
- Secretaría de Medio Ambiente, Recursos Naturales y Pesca en el Estado de Sonora, Subdelegación de Pesca. 1998. Sector pesquero: desarrollo y perspectivas (SEMARNAP)
- Sevilla, L. 1983. **Biología pesquera**. 1^a. Ed. Ed. CECSA. México, D.F.
- Shimoi, K., Nakamura, Y., Tomita, I. and Kada, T. 1985. Bio-antimutagenic effects of tannic acid on UV and chemically induced mutagenesis in *Escherichia coli* B/r. Mutation Res. 149: 17-23.
- Sikorski, Z.E. 1988. **Seafood: Resources, Nutritional Composition, and Preservation**. Ph. D. D.S.C. Department of Food Preservation and Technical Microbiology. CRC. Press, Inc. Boca Raton Florida.
- Sims, P., Grover, P.L. Swaisland, A., Pal, K., and Hewer, A. 1974. Metabolic activation of benzo(a)pyrene proceeds by a diol epoxide: Nature, 252:326-328., citado en Dipple, 1983.
- StatSoft, Inc. 2000. Statistica por window. Versión 5.5.
- Stavric, B. 1994. Antimutagens and anticarcinogens in foods. Food Chem. Toxic. Vol 32(1): 76-90.
- Summers, C. Octubre. 1999. Mutagenicity: *Salmonella* reverse mutation assay (Ames Test) study outline.
<http://www.nelsonlabs.com/biocompatibility/ames.htm>

- Takahashi, N., Stresser, D.M., Williams, D.E. and Bailey, G.S. 1995^a. Induction of hepatic CYP1A by Indole-3-Carbinol in protection against aflatoxin B1 Hepatocarcinogenesis in Rainbow Trout. *Fd. Chem. Toxic.* 33:841-850.
- Takahashi, N., Dashwood, R.H., Bjeldanes, L.F., Williams, D.E. and Bailey, G.S. 1995b. Mechanisms of Indole-3-Carbinols (I3C) anticarcinogenesis: Inhibition of aflatoxin B1-DNA adduction and mutagenesis by I3C acid condensation products. *Fd. Chem. Toxic.* 33:851-857.
- Tanaka, K., Hirohata, t., Koga, S., Sugimachi, K., Tanematsu, T., Ohryohji, F., Nawata, H., Ishibashi, H., Maeda, Y., Kiyokawa, H., Tokunaga, K., Irita, Y., Takeshita, S., Arase, Y., and Nishino, N. 1991. Hepatitis C and Hapatitis B in the etiology of hepatocellular carcinoma in the Japanese population. *Cancer Res.* 51:2842-2847.
- Thakker, D.R., Yagi, H., Levin W., Wood, W., Conney, H. and Jerina, M. 1985. Polycyclic aromatic hydrocarbons: Metabolic activation to ultimate carcinogens. *Bioactivation of Foreign Compounds*. Academic Press. Pp. 177-242.
- Thomson, D. y McKibbin, N. 1978. Peces del Golfo de California. Universidad de Sonora. Hermosillo, Sonora. Pp. 44.
- Tilgner, D.J. y Daun, H. 1969.. *Residue Rev.* 27, 19 citado por Gilbert y Knowles, 1975.

- Tornez, E. G. 1972. **El ahumado del pescado.** Publicaciones pesqueras No. 4. Caracas, Venezuela.
- Toth, L. and Blass, W. 1972. Fleischwirtschaft, 52, 1419 citado en Gilbert y Knowles, 1975.
- Travis, M. 1997. Stomach Cancer. American Cancer Society.
- Tubiana, M. 1991. Human carcinogenesis introductory remarks. Am. J. Clin. Nutr. Vol. 53: 223-250.
- Vaessen, M.G., Jekel, A.A., and Wilbers, M.M. 1988. Dietary intake of polycyclic aromatic hydrocarbons. Toxicological and Environmental Chemistry. Vol. 16: 281-294.
- Wardiaw, G. and Insel, P. 1990. Perspectives in nutrition. Times mirror/ Mesby College Publishing. Nutrition Perspective 5-2 Part II.
- Watanabe, K., Ohta, T., and Shirasu, Y. 1988. Antimutagenic effects of benzaldehyde and its derivatives on mutagenesis induced by 4-Nitroquinoline 1-oxide in *Escherichia coli*. Institute of Environmental Toxicology. Agric. Biol. Chem. 52(4):1041-1045
- Wattenberg, L. W. 1990. Inhibition of carcinogenesis by naturally-occurring and synthetic compounds. Citado por Expert Panel on Food Safety & Nutrition, 1993.
- Wattenberg, L. W. and Loub, W. D. 1978. Inhibition of polycyclic aromatic hidrocarbon-induced neoplasia by naturall occurring indoles. Cancer Res. 38: 1410-1413.

- Weisburger, J.H. 1991. Nutritional approach to cancer prevention whith emphasis on vitamins, antioxidants, and carotenoids. Am. J. Clin. Nutr. Vol. 53:226-237.
- Wingen, M.L., Low, C.J., and Finlayson-Pitts, B.J. 1998. Chromatography, absorption, and fluorescence: A new instrumental analysis experiment on the measurement of polycyclic aromatic hydrocarbons in cigarette smoke. Journal of Chem. Education. Vol. 75(12):1599-1603.
- Yen, G-C. and Chen, H-Y. 1994. Comparison of antimutagenic effects of various tea extracts (Green, Oolong, Pouchong and Black Tea). J. Food Prot. 57:54-58.
- Yang, Y., Griffiths, J.W., Midtvedt, t., Sjovall, J., Rafter, J., and Gustafsson, J-K. 1999. Characterization of conjugated metabolites of Benzo(a)pireno in germ-free rat urine by liquid chromatography/electrospray tandem mass spectrometry. Chem. Res. Toxicol. 12:1182-1189
- Zavalza, K.E. 1994. Aspectos toxicológicos durante el ahumado de pescado. Tesis de Licenciatura. Universidad de Sonora. Hermosillo, Sonora.