

BIBLIOGRAFÍA

- Adhya, T.K., Sudhakar-Barik y Sethunathan, N. (1981). Hydrolysis of Selected Organophosphorus insecticides by Two Bacteria Isolated from Flooded Soil. *Journal of Applied Bacteriology*, 50: 169.
- Albert, L.A. (2004). Panorama de los Plaguicidas en México. *Revista de Toxicología en Línea*, p. 1-17.
- Alexander, M. (1994). *Biodegradation and Bioremediation*. 1ra ed. Academic Press, Inc., San Diego, Ca., USA.
- Alexander, M. (1999). *Biodegradation and Bioremediation*. 2da ed. Academic Press. Inc. San Diego, Ca., USA.
- Ang, E.L., Zhao, H. y Obbard, O.P. (2005). Recent advances in the Bioremediation of Persistent Organic Pollutants via Biomolecular Engineering. *Enzyme and Microbial Technology*, 37: 487–496.
- Attaway, H., Nelson J.O., Baya A., Voll M.J., White W.E., D. Grimes J. y Colwell R.R. (1987). Bacterial Detoxification of Isopropyl Fluorophosphate. *Applied and Environmental Microbiology*, 53(7): 1685-1689.
- Barik, S., Munnecke, D.M. y Fletcher, J.S. (1984). Bacterial Degradation of Three Dithioate Pesticides. *Agricultural Wastes*, 10: 81-94.
- Bavcon, K.M., Franko, M. y Trebsje, P. (2007). Photodegradation of Organophosphorus Insecticides-Investigations of Products and their Toxicity using Gas Chromatography-Mass Spectrometry and AChE-Thermal Lens Spectrometric Bioassay. *Chemosphere*, 67: 99-107.
- Bradford, M.M. (1976). A Rapid and Sensitive Method for the Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein-dye Binding. *Analytical biochemistry*, 72: 248-54.
- Burrows, H.D., Canle, L.M., Santaballa, J.A. y Steenken, S. (2002). Reaction Pathways and Mechanisms of Photodegradation of Pesticides (Invited review). *J. Photochem. Photobiol. B: Biol*, 67: 71-108.

- Canales, A., González, R., Mercado, F. y Chilton, J. (1991). Calidad del Agua Subterránea en el Valle del Yaqui: Salinidad y Contaminación por Agroquímicos. Informe técnico ITSON-DIEP para CONACYT, IMTA/CNA y BGS, Cd. Obregón, Sonora, México.
- Cebrián, M.E. (1998). Efectos de los Plaguicidas sobre la Función Reproductiva Humana: una Asignatura Pendiente. *Avance y Perspectiva*, 17: 205-213.
- Chaudhry, R.G., Ali, N.A. y Wheeler, B.W. (1988). Isolation of Methyl Parathion-Degrading *Pseudomonas* sp. that Possesses DNA Homologous to the opd Gene from *Flavobacterium* sp. *Appl. Environ. Microbiol.*, 54: 288-293.
- Chen, Q.H., He, G.Q. y Mokhtar, A.M. (2002). Optimization of Medium Composition for the Production of Elastase by *Bacillus* sp. EL31410 whit response surface methodology. *Enzyme and Microbial Technology*, 30: 667-672.
- CICOPLAFEST. (1997). Catálogo oficial de plaguicidas. SARH, SEDESOL, SS y SECOFI. México, D.F.
- Copella, S.J., Delacruz, N., Payne, G.F. Pogell, B.M., Speedie, M.K. Karns, J.S., Sybert, E.M. y Connor, M.A. (1990). Genetic Engineering Approach to Toxic Waste Management: Case Study for Organophosphate Waste Treatment. *Biotechnology Progress*, 6: 76-81.
- Daughton, C.G. y Hsieh, D.P.H. (1977). Parathion Utilization by Bacterial Symbionts in a Chemostat. *Applied and Environmental Microbiology*, 34(2): 175-184.
- DelaCruz, N., Payne, G.F., Smith, J.M. y Coppella, S.J. (1992). Bioprocess Development to Improve Foreign Protein Production from Recombinant *Streptomyces*. *Biotechnol. Prog.*, 8: 307-315.
- Demain, A.L. y Solomon, N.A. (1986). *Manual of Industrial Microbiology and Biotechnology*. American Society of Microbiology, p. 108.
- Dumas, D.P., Caldwell, S. R., Wild, J. R. y Raushel, F.M. (1989). Purification and Properties of the Phosphotriesterase from *Pseudomonas diminuta*. *The Journal of Biological Chemistry*, 264: 19659-19665.

- Dumas, D.P. y Raushel, M.F. (1990). Chemical and Kinetic Evidence for an Essential Histidine in the Phosphotriesterase from *Pseudomonas diminuta*. *J. Biol. Chem.*, 265: 21498-21503.
- Ecobichon, D. J. (1996). Toxic Effects of Pesticides. En: Klaasen, (Editor). 5th edition. Casarett and Doull's Toxicology. The Basic Science of Poisons. McGraw Hill, Washington.
- Eddleston, M., Karalliedde, L., Buckley, N., Fernando, R., Hutchinson, G., Isbister, G., Konradsen, F., Murray, D., Piola, J.C., Senanayake, N., Sheriff, R., Singh, S., Siwach, S.B. y Smit, L. (2002). Pesticide Poisoning in the Developing World-a Minimum Pesticide List. *The Lancet*, 360: 1163-1167.
- Ensley, B.D. (1994). Genetic Strategies for Strain Improvement. In: Biotechnology for the Treatment of Hazardous Waste. Stoner, D.L. (Ed.). CRC Press, Inc. Boca Raton, Fla., p. 137-155.
- EPA. US. Environmental Protection Agency. (1991). Memorandum from the Office of Pesticides and Toxic Substances to Office of Pesticide Programs Division Director. Washington, DC, p. 5-6.
- EXTOXNET, Extension Toxicology Network. Methyl Parathion. (1996).
- Fraser, D. (1951). Bursting Bacteria by Release of Gas Pressure. *Nature*, 167: 33-34.
- García-Bañuelos, M.L. y Meza-Montenegro, M.M. (1991). Principales Vías de Contaminación por Plaguicidas en Neonatos-Lactantes Residentes en Pueblo Yaqui, Sonora, México. *ITSON-DIEP*, 1(2): 33-42.
- Gilbert, E.S., Walker, A.W. y Keasling, J.D. (2003). A Constructed Microbial Consortium for Biodegradation of the Organophosphorus Insecticide Parathion. *Appl Microbiol Biotechnol*, 61: 77-81.
- González, R. (1991). Contaminación por Plaguicidas en el Acuífero del Valle del Yaqui, Sonora. Tesis de Maestría en Administración de Recursos Hidráulicos. ITSON, Cd. Obregón, Sonora, México.
- Grady, Jr., C.P.L. (1985). Biodegradation: Its Measurement and Microbiological Basis. *Biochem. Bioeng.*, 27: 660-674.

- Jokanović, M. (2001). Biotransformation of Organophosphorous Compounds. *Toxicology*, 16: 139-160.
- Kanekar, P.P., Bhadbhade, B.J., Deshpande, N.M. y Sarnaik, S.S. (2004). Biodegradation of Organophosphorus Pesticides. *Proc. Indian natn Sci Acad.*, B70(1): 57-70.
- Karpouzas, D.G. y Walker, A. (2000). Factors Influencing the Ability of *Pseudomonas putida* Strains epI and epII to Degrade the Organophosphate Ethoprophos. *Journal of Applied Microbiology*, 89: 40-48.
- Karpouzas, D.G., Fotopoulou, A., Menkissoglu-Spiroudi, U. y Singh, B.K. (2005). Non-specific Biodegradation of the Organophosphorus Pesticides, Cadusafos and Ethoprophos, by Two Bacterial Isolates. *FEMS Microbiology Ecology*, 53: 369-378.
- Lei, Y., Mulchandani, A. y Chen, W. (2005). Improved Degradation of Organophosphorous Nerve Agent and p-Nitrofenol by *Pseudomonas putida* JS444 with Surface-expressed Organophosphorous Hydrolase. *Biotechnology Progress*, 21: 678-681.
- Martínez-Valenzuela, C. y Gómez-Arroyo, S. (2007). Riesgo Genotóxico por Exposición a Plaguicidas en Trabajadores Agrícolas. *Rev. Int. Contam. Ambient.*, 23(4). México.
- McConnell, S., Henao, O., Nieto, L., Rosenstock, A., Zanaga y C. Wesseling. (1993). Pesticides, En: Finkelman, J., Corey, G., y Calderon, R. (Eds). *Environmental Epidemiology: A project for Latin America and the Caribbean*. ECO/PAHO/OMS. Washington.
- Mulbry, W.W. y Karns, J.S. (1989). Purification and Characterization of Three Parathion Hydrolases from Gram-negative Bacterial Strains. *Applied and Environmental Microbiology*, 55(2): 289-293
- Munnecke, D.M. y Hsieh, D.P. (1974). Microbial Decontamination of Parathion and P-Nitrophenol in Aqueous Media. *American Society for Microbiology*, 28(2): 212-217.

- Munnecke, D.M. y Hsieh, D.P.H. (1976). Pathways of Microbial Metabolism of Parathion. *Applied and Environmental Microbiology*, 31(1): 63-69.
- Munnecke, D.M. y Fischer, H.F. (1979). Production of Parathion Hydrolase Activity. *European J. Appl. Microbiol. Biotechnol.*, 8: 103-112.
- Omburo, G.A., Kuo, J.M., Mullins, L.S. y Raushel, F.M. (1992). Characterization of the Zinc Binding Site of Bacterial Phosphotriesterase. *The Journal of Biological Chemistry*, 267(19): 13278-13283.
- OMS (1990). Plaguicidas. Informe Técnico N° 12. Organización Mundial de la Salud. Ginebra.
- Ortega, J., Espinoza, F. y López, F. (1994). El Control de los Riesgos para la Salud Generados por los Plaguicidas Organofosforados en México: Retos ante el Tratado de Libre Comercio Salud Pública de México, 36: 6.
- Ortiz, M.L., Sánchez, E., Vázquez, R. y Quintero, R. (1997). Plaguicidas Organofosforados y Ambiente. *Bistec.*, 2: 129-151.
- Ortiz, M.L., Monterrosa, M., Yáñez, G. y Sánchez, E. (2001). Biodegradation of Methyl-Parathion by Bacteria Isolated of Agricultural Soil. *Rev. Int. Contam. Ambient.*, 17(3): 147-155.
- Pakala, S.B., Gorla, P., Pinjari, A.B., Krovidi, R.K., Baru, R., Yanamandra, M., Merrick, M. y Siddavattam, D. (2007). Biodegradation of Methyl Parathion and *p*-nitrophenol: Evidence for the Presence of a *p*-nitrophenol 2-hydroxylase en a Gram-negative *Serratia* sp. Strain DS001. *Appl Microbiol Biotechnol.*, 73: 1452-1462.
- PAN Internacional (1990). Consult Manual. Pesticide Action Network International. California, EUA.
- Payne, G.F., DelaCruz, N. y Coppella, S.J. (1990). Improved Production of Heterologous Protein from *Streptomyces lividans*. *Appl Microbiol Biotechnol.*, 33: 395-400.
- Palmer, T. (1991). *Understanding Enzymes*. 3ra ed. Ellis Horwood. N.Y.

- Pehkonen, S.O. y Zhang, Q. (2002). The Degradation of Organophosphorus Pesticides in Natural Waters: a Critical Review. *Crit. Rev. Environ. Sci. Technol.*, 32: 17-72.
- Pirt, S.J. (1975). *Principles of Microbe and Cell Cultivation*. 1ra ed. John Wiley & Sons. N.Y.
- Ramanathan, M.P. y Lalithakumari, D. (1999). Complete Mineralization of Methyl Parathion by *Pseudomonas* sp. *A3*: 1-11.
- Rani, N. L. y Lalithakumari, D. (1994). Degradation of Methyl Parathion by *Pseudomonas putida*. *Can. J. Microbiol.*, (4): 1000-1006.
- Segel, I.H. (1976). *Biochemical Calculation: How to Solve Mathematical Problems in General Biochemistry*. 2da ed. John Wiley & Sons. Inc. USA.
- SEMARNAP, (1999). Anuario Estadístico de la Producción Forestal 1998, Subsecretaría de Recursos Naturales, Dirección General Forestal, México.
- Serdar, C.M., Gibson, D.T., Munnecke, D.M. y Lancaster, J.H. (1982). Plasmid Involvement in Parathion Hydrolysis by *Pseudomonas diminuta*. *Applied and Environmental Microbiology*, 44(1): 246-249.
- Sethunathan, N. y Yoshida, T. (1973). A Flavobacterium sp. that Degrades Diazinon and Parathion. *Canadian journal of Microbiology*, 19: 873-875.
- Siddaramappa, R., Rajaram, K.P. y Sethunathan, N. (1973). Degradation of Parathion by Bacteria Isolated from Flooded Soil. *Applied Microbiology*, 26: 846-849.
- Sreenivasulu, C. y Aparna, Y. (2001). Bioremediation of Methylparathion by Free and Immobilized Cells *Bacillus* sp. Isolated from Soil. *Environmental Contamination and Toxicology*, 67: 98-105.
- Tchelet, R., Levanon, D., Mingelgrin, U. y Henis, Y. (1993). Parathion Degradation by a *Pseudomonas* sp. and a *Xanthomonas* sp. and by their Crude Enzyme Extracts as Affected by some Cations. *Soil Biol. Biochem.*, 25(12): 1665-1671.

- Walker, A.W. y Keasling, J.D. (2002). Metabolic Engineering of *Pseudomonas putida* for the Utilization of Parathion as a Carbon and Energy Source. *Biotechnology and Bioengineering*, 78(7): 715-721.
- Wang, D.I.C., Cooney, C.L., Demain, A.L., Dunill, P., Humphrey, A.E. y Lilly, M.D. (1979). *Fermentation and Enzyme Technology*. Ed. Jhon Wiley & Sons, Inc.
- Wild, D. (1975). Mutagenicity Studies on Organophosphorus Insecticides. *Mutat. Res.*, 32: 133-150.
- Yeomans-Reina, J.H., Carrillo-Perez, E. y Ruiz-Manriquez, A. (2004). Biodegradación de Plaguicidas. *BIOTecnia*, VI(2): 3-62.
- Zhang, X-Z, Cui, Z-L, Hong, Q. y Li, S-P. (2005). High-Level Expression and Secretion of Methyl Parathion Hydrolase in *Bacillus subtilis* WB800. *Applied and Environmental Microbiology*, 71(7): 4101-4103.
- Zhongli, C., Shunpeng, L. y Guoping, F. (2001). Isolation of Methyl Parathion-Degrading Strain M6 and Clonig of the Methyl Parathion Hidrolase Gene. *Applied and Enviromental Microbiology*, p. 4922.