

BIBLIOGRAFIA

1. Kuzyk, M.G.; Dirk, C.W. Characterization techniques and tabulations for organic nonlinear optical materials; Marcel Dekker Inc. NY, 1998.
2. P. N. Prasad and D. J. Williams, Introduction to Nonlinear Optical Effects in Molecules & Polymers, Wiley, New York, 1991.
3. D. S. Chemla and J. Zyss, Nonlinear Optical Properties of Organic Molecules and Crystals, Academic Press, New York, 1987, Vol 1, 2.
4. T. Verbiest, S. Houbrechts, M. Kauranen, K. Clays y A. Persoons, "Second-order nonlinear optical materials: recent advances in chromophore design", *J. Mater. Chem.*, **11** (1997), 2175–2189.
5. Lindsay, G.A.; Singer, K.D. Polymer for second-order nonlinear optics; ACS Symposium Series 601; American Chemical Society, Washington, DC, 1995.
6. Nalwa, H.S.; Miyata, S. Eds.; Nonlinear Optics of organic Molecules and Polymers. CRC Press: Boca Raton, FL. 1997.
7. Meredith, G. R.; Van Dusen, J. G.; Williams, D. J. "Optical and Nonlinear Optical Characterization of Molecularly Doped Thermotropic Liquid Crystalline Polymers", *Macromolecules*, **15** (1982), 1385–1389.
8. Singer, K. D.; Sohn, J. E.; Lalama, S. J., "Second harmonic generation in poled polymer films", *Appl. Phys. Lett.*, **49** (1986), 248
9. Williams, D. J. "Organic Polymeric and Non-Polymeric Materials with Large Optical Nonlinearities", *Angew. Chem., Int. Ed. Engl.*, **23** (1984), 690,
10. Dulcic, A.; Sauteret, C., "The regularities observed in the second order hyperpolarizabilities of variously disubstituted benzenes", *J. Chem. Phys.*, **69** (1978), 3453
11. Ahlheim, M.; Barzoukas, M.; Bedworth, P. V.; Blanchard-Desce, M.; Fort, A.; Hu, Z.-Y.; Marder, S. R.; Perry, J. W.; Runser, C.; Staehelin, M.; Zysset, B., "Chromophores with Strong Heterocyclic Acceptors: A Poled Polymer with a Large Electro-Optic Coefficient", *Science*, **271** (1996), 335.
12. Blanchard-Desce, M.; Alain, V.; Bedworth, P. V.; Marder, S. R.; Fort, A.; Runser, C.; Barzoukas, M.; Lebus, S.; Wortmann, R., "Large Quadratic Hyperpolarizabilities with

- Donor-Acceptor Polyenes Exhibiting Optimum Bond Length Alternation: Correlation Between Structure and Hyperpolarizability”, *Chem. Eur. J.*, **3** (1997), 1091.
13. Dirk, C. W.; Katz, H. E.; Schilling, M. L.; King, L. A., “Use of thiazole rings to enhance molecular second-order nonlinear optical susceptibilities”, *Chem. Mater.*, **2** (1990), 700.
 14. A.L. Pérez-Martínez, T. Ogawa; “Second Order Nonlinear Susceptibility of poled, Poly(dipropargyloxybenzoates) containing 2-[4-(2-chloro-4-nitrophenylazo)-N-ethyl-phenylamino]etanol (Disperse Red 13)”, *Optical Materials*, **31** (2009), 912-918.
 15. S. Hernández, T. Ogawa, T. Watanabe, S. Miyata, “Novel Diacetylene- and Chromophore-Containing Polymers for Second Order Nonlinear Optical”, *Mol Cryst Liq Cryst.*, **374** (2002), 503-512.
 16. S. Hernandez, H. Miura, M. F. Beristain, T. Ogawa, T. Watanabe, S. Miyata, “Novel Diacetylene-Containing Polymers for Second Order NLO Applications: Effect of Main Chains and Structure Property Relationships”, *Macromol Symp.*, **192** (2003), 123-133.
 17. R. E. Navarro, L. Armenta-Villegas, A. L. Pérez, M. F. Beristain, T. Ogawa, “Synthesis and Characterization of Poly(dipropargyloxynaphthoates) Containig Polar Azo dyes”, *Polymer Bulletin*, **58** (2007), 757-765.
 18. S. K. Yesodha, C. K. Sadashiva Pillai, N. Tsutsumi, “Stable polymeric materials for nonlinear optics: a review based on azobenzene systems”, *Prog. Polym. Sci.*, **29** (2004) 45–74
 19. J. A. Delaire y K. Nakatani, “Linear and Nonlinear Optical Properties of Photochromic Molecules and Materials”, *Chem. Rev.*, **100** (2000), 1817-1845.
 20. F. Ghebremichael, M.G. Kuzyk, H.S. Lackritz, “Nonlinear Optics and Polymer Physics”, *Prog. Polym. Sci.*, **22** (1997), 1147-1201.
 21. R. W. Boyd Nonlinear Optics [Academic Press](#) 2003.
 22. Ch. Bosshard, Organic Nonlinear Optical Materials, [CRC Press](#) 1995.
 23. Seizō Miyata, Hiroyuki Sasabe, Light Wave Manipulation Using Organic Nonlinear Optical Materials, 2000, [CRC Press](#).
 24. E. Sarailou, A. Gharavia, S. Javadpour y V. Shkunov, “Grating based electro-optic switch with azo nonlinear optical polymers”, *Appl. Phys. Lett.*, **89** (2006), 1711-1714.
 25. M. Chen, L. Yu y L. R. Dalton, “New Polymers with Large and Stable Second-Order Nonlinear Optical Effects”, *Macromolecules*, **24** (1991), 5421-5428.

26. N. P. Wang, T. M. Leslie, S. Wang, S. T. Kowel, "Syntheses of Second-Order Nonlinear Optical Polyurethanes for Electrooptic Etalons", *Chem. Mater.*, **7** (1996), 185-191.
27. A. Datta y S. K. Pati, "Dipole Orientation Effects on Nonlinear Optical Properties of Organic Molecular Aggregates", *J. Chem. Phys.*, **118** (2003) 8420-8427.
28. D. R. Kanis, M. A. Ratner y T. J. Marks, "Design and Construction of Molecular Assemblies with Large Second-Order Optical Nonlinearities. Quantum Chemical Aspects", *Chem. Rev.*, **94** (1994), 195-242.
29. J. Zyss, J. F. Nicoud y M. Coquillay, "Chirality and hydrogen bonding in molecular crystals for phase-matched second harmonic generation: N- (4-nitrophenyl) - (L) - prolinol (NPP)", *J. Chem. Phys.*, **81** (1984), 4160-4168.
30. I. Ledoux, J. Zyss, E. Barni, C. Barolo, N. Diulgheroff, P. Quagliotto, G. Viscardi, "Properties of novel azodyes containing powerful acceptor groups and thiophene moiety", *Synthetic Metals*, **115** (2000), 213-217.
31. K. D. Singer, J. E. Sohn, L. A. King, and H. M. Gordon, "Second-order nonlinear-optical properties of donor- and acceptor-substituted aromatic compounds", *J. Opt. Soc. Am. B*, **6** (1989), 1939-1949.
32. P. J. A. Kenis, E. G. Kerver, B. H. M. Snellink-Ruel, G. J. van Hummel, S. Harkema, M. C. Flipse, R. H. Woudenberg, J. F. J. Engbersen y D. N. Reinhoudt, "High Hyperpolarizabilities of Donor- π -Acceptor-Functionalized Calix[4]arene Derivatives by Pre-organization of Chromophores", *Eur. J. Org. Chem.*, (1998), 1089-1098.
33. S. Ohnishi, Y. Orimoto, F. L. Gu y Y. Aoki, "Nonlinear optical properties of polydiacetylene with donor-acceptor substitution block", *J. Chem. Phys.*, **127** (2007) 084702.
34. P. Hrobarik, P. Zahradnik y W. M. F. Fabian, "Computational design of benzothiazole-derived push-pull dyes with high molecular quadratic hyperpolarizabilities", *Phys. Chem. Chem. Phys.*, **6** (2004), 495-502.
35. H. C. B. de Oliveira, T. L. Fonseca, M. A. Castro, O. A. V. Amaral y S. Cunha, "Theoretical study of the static first hyperpolarizability of azo-enaminone compounds", *J. Chem. Phys.*, **119** (2003), 8417-8423.
36. P. A. Ribeiro D. T. Balogh y J. A. Giacometti, "Corona Poling and Electroactivity in a Side-chain Methacrylate Copolymer", *IEEE Transactions on Dielectrics and Electrical Insulation*, **7** (2000) 572-577.

37. D. S. Chemla, J.L. Oudar y J. Jerphagnon, "Origin of the Second-order Optical Susceptibilities of Crystalline Substituted Benzene", *Physical Review B*, **12** (1975), 4534-4546.
38. J. L. Oudar y D. S. Chemla, "Hyperpolarizabilities of the nitroanilines and their relations to the excited state dipole moment", *J. Chem. Phys.*, **66** (1977), 2664-2665.
39. J. L. Oudar, "Optical Nonlinearities of Conjugated Molecules. Stilbene derivatives and Highly Polar Aromatic Compounds", *J. Chem. Phys.*, **67** (1977), 446-457.
40. Y. H. Min, C. S. Yoon, H. K. Kim, S. J. Kang, "Electro-Optic Properties and Thermal Stability of a Poled Organic/Silica Hybrid Film and its Application to Channel Waveguide", *J. Korean Phys. Soc.*, **31** (1997), 443-447.
41. J. Kang, T. Kim, J. Luo, M. Haller, A. K.-Y. Jen, "Very large electro-optic coefficients from *in situ* generated side-chain nonlinear optical polymers", *Appl. Phys. Lett.*, **87** (2005), 071109.
42. T. Ushiwata, E. Okamoto y T. Kaino, "Development of Thermally Stable Novel EO-polymers", *Mol. Cryst. Liq. Cryst.*, **374** (2002), 303-314.
43. H. Ma, B. Chen, T. Sassa, L. R. Dalton, y A. K.-Y. Jen, "Highly Efficient and Thermally Stable Nonlinear Optical Dendrimer for Electrooptics", *J. Am. Chem. Soc.*, **123** (2001), 986-987.
44. O. K. C. Tsui, Y. J. Wang, F. K. Lee, C.-H. Lam y Z. Yang, "Equilibrium Pathway of Spin-Coated Polymer Films", *Macromolecules*, **41** (2008), 1465-1468.
45. M. A. Uddin, H. P. Chan, C.K. Chow y Y.C. Chan, "Effect of Spin Coating on the Curing Rate of Epoxy Adhesive for the Fabrication of a Polymer Optical Waveguide", *Journal of Electronic Materials*, **33** (2004).
46. P. Wang y J. T. Koberstein, "Morphology of Immiscible Polymer Blend Thin Films Prepared by Spin-Coating", *Macromolecules*, **37** (2004), 5671-5681.
47. P. A. Ribeiro D. T. Balogh y J. A. Giacometti, "Corona Poling and Electroactivity in a Side-chain Methacrylate Copolymer", *IEEE Transactions on Dielectrics and Electrical Insulation*, **7** (2000) 572-577.
48. D. M. Burland, R. D. Miller y C. A. Walsh, "Second-Order Nonlinearity in Poled-Polymer", *Systems Chem. Rev.*, **94** (1984), 31-75.
49. A. L. Pérez, G. Gomez-Sosa, T. Ogawa, "The Orientation Stability and UV Irradiation of Poly(hexa-2,4-diynylene-1,6-dioxy)benzoates and Cinnamates Containing Disperse Red 19", *J Macromol Sci, Pt. A, Chemistry.*, **42** (2005), 1561-1572.

50. T. Yamada, S. Yokoyama, K. Kajikawa, K. Ishikawa, H. Takezoe, A. Fukuda, M. Kakimoto y Y. Imai, *Langmuir*, **10** (1994) 1160-1163.
51. D. R. Talham, T. Yamamoto y M. W. Meisel, “Langmuir–Blodgett films of molecular organic materials”, *J. Phys.: Condens. Matter*, **20** (2008) 184006.
52. J. R. Heflin, C. Figura, D. Marciu, Y. Liu, R. O. Claus, *Appl. Phys. Lett.*, **74** (1999), 495.
53. H. R. Hafiz, y F. Nakanishi, “Photoresponsive liquid crystal display driven by new photochromic azobenzene-based Langmuir–Blodgett films”, *Nanotechnology*, **14** (2003) 649–654.
54. M. Haro, B. Giner, I. Gascón, F. M. Royo, y M. C. López , “Isomerization Behavior of an Azopolymer in Terms of the Langmuir-Blodgett Film Thickness and the Transference Surface Pressure”, *Macromolecules*, **40** (2007), 2058-2069.
55. S. B. Yamaki, A. A. Andrade , C. R. Mendonça , O. N. Oliveira Jr. y T. D.Z. Atvars, “Morphological and structural characteristics of diazo dyes at the air–water interface: in situ Brewster angle microscopy and polarized UV/vis analysis”, *Journal of Colloid and Interface Science*, **283** (2005) 464–471.