

BIBLIOGRAFÍA

- Acosta Silva, L. 2007. Actividad biológica y composición química de propóleos sonorenses. Maestría en Polímeros y Materiales, División de Ingeniería. Departamenteo de Investigación en Polímeros y Materiales, Universidad de Sonora. México.
- Adam, R. D. 2001. Biology of *Giardia lamblia*. *Clin. Microbiol. Rev.* 14(3): 447-475.
- Aherne, S. A., O'Brien, N. M. 2002. Dietary flavonols: Chemistry, food content, and metabolism. *Nutrition.* 18:75-81.
- Ali, S. A., Hill, D. R. 2003. *Giardia intestinalis*. *Curr Opin Infect Dis.* 16:453-460.
- Ankarklev, J., Jerlström, H., Ringqvist, E., Troell, K., G. Svárd, S. 2010. Behind the smile: cell biology and disease mechanisms of *Giardia* species. *Natur Reviews Microbiology.* 8, 413-422
- Bankova V. S., de Castro S. L., Marcucci M. C. 2000 Propolis: Recent advances in chemistry and plant origin. *Apidologie;* 31:3-15.
- Bankova, V. 2005. Recent trends and important developments in propolis research. *Evidence Based Complementary and Alternative Medicine;* 2:29-32.
- Banskota, A. H., Nagaoka, T., Yoshie Sumioka, L., Tezuka, Y., Awale, S., Midorikawa, K., Matsushige, K., Kadota, S. 2002. Antiproliferative activity of the Netherlands propolis and its active principles in cancer cell lines. *Journal of Ethnopharmacology.* 80:67-73.
- Banskota, A. H., Tezuka, Y., Prasain, J. K., Matsushige, K., Saiki, I., Kadota, S. 1998. Chemical constituents of brazilian propolis and their cytotoxic activities. Department of Natural Products Chemistry, Department of Pathogenic Biochemistry. Toyama Medical and Pharmaceutical University, Japan.
- Barbosa da Silva-Cunha, I., Salomao, K., Shimizu, M., Bankova, V. S., Ármalo-Custodio, A., Lisboa de Castro Marcucci M. C. (2004). Antitripanosomal activity of brazilian propolis from *Apis mellífera*. *Chem. Pharm. Bull.* 52(5) 602—604.

- Bedascarrasbure, E. L., Maldonado, L., Álvarez, A. 2000. El propóleo un valioso producto de la colmena. *Apis NetLA: Red apícola latinoamericana*.
- Bestwick, C. S., Milne, L. 2006. Influence of galangin on HL-60 cell proliferation and survival. *Cancer Lett.* 2006 Nov 8;243(1):80-9.
- Bosio, K., Avanzini, C., D'Avolio, A., Ozino, O., Savoia, D. 2003. *In Vitro* activity of propolis against *Streptococcus pyogenes*. *Letters in Applied Microbiology.* 31:174-177.
- Brunton, L., Parker, K., Blumenthal, D., Buxton, I. 2009. Goodman & Gilman: Manual de farmacología y terapéutica. 1era ed. Mc Graw Hill.
- Burdock, G. A. 1998. Review of the biological properties and toxicity of bee propolis. *Food and Chemistry Toxicology.* 36:347-363.
- Bylka, I. M., Pilewski, N.A. 2004. Natural Flavonoids as Antimicrobial Agents. *JANA* Vol. 7, No. 2:24-31.
- Castaldo, S., Cappasso, F. 2002. Propolis, an old remedy used in modern medicine. *Fitoterapia.* 73(Suppl. 1):S1-S6.
- Castillo Dominichetti, S. E. 2002. Efecto de la distancia de las colmenas de abejas (*Apis mellifera*) a los árboles de palto (*Persea americana mill*) y efecto de un segundo ingreso de colmenas de abejas al huerto de paltos, sobre el número de abejas encontradas en las flores de palto. Quillota, Chile.
- Castro, M. L., do Nascimento, A. M., Ikegaki, M., Costa-Neto, C.M., Alencar, S. M., Rosalen, P. L. 2009. Identification of a bioactive compound isolated from Brazilian propolis type 6. *Bioorg Med Chem.* 2009 Jul 15;17(14):5332-5.
- Chen, C. N., Wu, C. L., Shy, H. S., Lin, J. K. 2003. Cytotoxic Prenylflavanones from Taiwanese Propoli *J. Nat. Prod.*, 66, 503-506
- Cuesta-Rubio, O., Frontana-Uribe, B. A., Ramirez-Apanb T., Cardenas, J. 2002. Polyisoprenylated Benzophenones in Cuban Propolis; Biological Activity of Nemorosones. Instituto de Farmacia y Alimentos. Universidad de la Habana. Cuba.
- Cushnie, T. P. T., Lamb, A. J. 2005. Antimicrobial activity of flavonoids. *International Journal of Antimicrobial Agents.* 26: 343-356.

- Dantas Pires, A., Olivieri, S., Gomez, B., Fátima H. M., De Castro, L. 2005. Treatment of *Trypanosoma cruzi*-infected mice with propolis promotes changes in the immune response. *Journal of ethnopharmacology*. 103(2):187-93.
- Díaz Cinco, M. E., Ballesteros Vázquez, M. N., Pérez Morales, R., Mata Haro, V. 2002. Impacto de la dieta sobre la inducción de infección con quistes de *Giardia lamblia* en ratas *Sprague-Dawley*. *Salud Pública Mex*; 44:315-322.
- Duran, G., Duran, N., Culha, G., Ozcan, B., Oztas, H., Ozer, B. 2008. *In vitro* antileishmanial activity of Adana propolis samples on *Leishmania tropica*, a preliminary study.
- Eckaman, L., Gillin, F. D. 2001. Microbes and microbial toxins: Paradigms for microbial-mucosal interactions I. Pathophysiological aspects of enteric infections with the lumen-dwelling protozoan pathogen *Giardia lamblia*. *Am J Physiol Gastrointest Liver Physiol* 280: G1-G6.
- Espinoza Cifuentes, N. A. 2004. Caracterización de la flora apícola visitada por cinco especies de abejas sin aguijón en el Meliponario Sinai, aldea san Antonio las flores, Pajapitam San Marcos, Guatemala. Ingeniería en agronomía. Universidad de San Carlos de Guatemala.
- Farré, R., Frasquet, I., Sánchez, A. 2004. El própolis y la salud. *Ars Pharmaceutica*, 45:1; 21-43.
- Faten, K. A. E. H., Hegazi, A. G. 2001. Egyptian Propolis: 2. Chemical Composition, Antiviral and Antimicrobial Activities of East Nile Delta Propolis Departments of Chemistry of Natural products and Parasitology, National Research Center, Dokki, Giza, Egypt.
- Faubert, G. M. 2000. Immune Response to *Giardia duodenalis*. *Clinical Microbiology Review*. 13.1:35-54.
- Fennell, B. J., Naughton, J. A., Barlow, J., Brennan, G., Fairweather, I., Hoey, E., McFerran, N., Trudgett, A., Bell, A. 2008. Microtubules as antiparasitic drug targets. *Expert Opin. Drug Discov.* 3:501-518.

- Freitas, S. F., Shinohara, L., Sforcin, J. M., Guimaraes, S. 2004. *In vitro* effects of propolis on *Giardia duodenalis* trophozoites. *Phytomedicine: International Journal of Phytotherapy & Phytopharmacology*.
- Havsteen, B. H. 2002. The biochemistry and medical significance of the flavonoids. *Pharmacology & Therapeutics*. 96:67-202.
- Hawrelak, J. 2003. Giardiasis: Pathophysiology and Management. *Altern Med Rev*. 8:129-142.
- Hegazi, A. G., Faten, K. A. E. H. 2001. Egyptian Propolis: 3. Antioxidant, Antimicrobial Activities and Chemical Composition of Propolis from Reclaimed Lands. Departments of Parasitology Chemistry of Natural Products, National Research Center, Dokki, Giza, Egypt.
- Hellner, M., George, R. V., Winter, D., Munstedt, K. 2008. Apitherapy: Usage and experience in German beekeepers. *eCAM*. 5(4)475–479.
- Hernández, J., Goycolea, F. M., Quintero, J., Acosta, A., Castañeda M., Dominguez, Z., Robles, R., Vazquez- Moreno, L. Velázquez E. F., Astiazarn H., Lugo E., Velázquez, C. 2007. Sonoran Propolis: Chemical Composition and Antiproliferative Activity on Cancer Cell Lines. Department of polymerers, Department of Foot Science, Department of Nutrition, CIAD, Hermosillo, Sonora.
- Kang, E. W., Clinch, K., Furneaux, R. H., Harvey, J. E., Schofield, P. J., Gero A. M. 1998. A novel and simple colorimetric method for screening *Giardia intestinalis* and anti-giardial activity in vitro. *Parasitology*. Sep;117:229-34.
- Karabay, O., Tamer, A., Gunduz, H., Arine, H. 2003. Albendazole versus metronidazole treatment of adult giardiasis: An open randomized clinical study. *World Journal of Gastroenterology*.
- Katircioglu, H., Mercan, N. 2006. Antimicrobial activity and chemical compositions of Turkish propolis from different regions. *African Journal of Biotechnology*. Vol. 5, No. 11, 2 June 2006, pp. 1151-1153.
- Keister, D. B. 1983. Axenic culture of *Giardia lamblia* in TYI-S-33 medium supplemented with bile. *Trans R Soc Trop Med Hyg*; 77:487–488.

- Kumasawa, S., Yoneda, M., Shibata, I., Kanaeda, J., Hamasaca, T., Nakayama, T. 2003. Direct evidence for the plant origin of Brazilian propolis by the observation of honeybee behavior and phytochemical analysis. *Cem Pharm Bull* 51: 740-742.
- Laidlaw, H. H. 2009. Honey Bee Research Facility. University of California. Dirección URL: <http://beebiology.ucdavis.edu/> <Último acceso 10/08/10>.
- Lane, S., Lloyd, D. 2002) Current trends in research into the waterborne parasite *Giardia*. *Crit Rev Microbiol*. 28:123-47.
- Lauwaet, T., Davids, J. B., Reiner, S. D., Gillin, F. D. 2007. Encystation of *Giardia lamblia*: A model for other parasite. Department of Pathology, Division of Infectious Disease, UCSD.
- López Luengo, M. T. 2002. Flavonoides. *Fitoterapia*. Vol 21 Núm 4:108-114.
- López, F. A. T., Mondragón, L., Hernández, G. 2006. Los flavonoides y el sistema cardiovascular: ¿Pueden ser una alternativa terapéutica? *Arch Cardiol* v.76 supl. 4 México oct/dic.
- Lotti, C., Campo Fernandez, M., Piccinelli, A. L., Cuesta-Rubio, O., Márquez Hernández, I., Rastrelli, L. 2010. Chemical constituents of red Mexican propolis. *J Agric Food Chem*. 2010 Feb 24;58(4):2209-13.
- Lujan, D. H. 2006. *Giardia* y giardiasis. Instituto de investigaciones Médicas Mercedes y Martín Ferreyra. Córdoba, Argentina.
- Machado de Carvalho, G. M., Leon, L. L., Castro, S. L. 2007. Activity of Brazilian and Bulgarian propolis against different species of *Leishmania*. *Mem Isnt Oswaldo Cruz*, Rio de Janeiro, Vol. 102 (1):73-77.
- Martínez Flórez, S., González Gallego, J., Culebras, J. M., Tuñón, M. J. 2002. Los flavonoides: propiedades y acciones antioxidantes. *Nutr Hosp*. 17:271-278.
- Meyer Marinate, R., Gomes Vancini, R., Melo, A. L., Benchimol, M. 2005. *Giardia lamblia*: Evaluation of the *in vitro* effects of nocodazole and colchicine on trophozoites. *Experimental Parasitology*. 110:62-72.

- Moreno, N., Isla A., Cudmani, N.G., Vattuone, M. A., Sampietro, A.R. 1999. Screening of antibacterial activity of Amaicha del Valle (Tucumán, Argentina) propolis *Journal of Ethnopharmacology*. 68 (1999) 97–10.
- Narayana, K. R., Reddy, M. S., Chaluvadi, M. R., Krishna, D. R. 2001. Bioflavonoids classification, pharmacological, biochemical effects and therapeutic potential. *Indian Journal of Pharmacology*. 33:2-16.
- Nash, T. E. 2002. Surface antigenic variation in *Giardia lamblia* Laboratory of Parasitic Diseases, National Institutes of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD 20892-0425, USA. *Molecular Microbiology* (2002) 45(3), 585–590.
- Núñez Fernández, F. A. 2004. Estudio de factores asociados con la reinfección por *Giardia lamblia* en niños de círculos infantiles. Tesis doctorado en ciencias. La Habana, Cuba.
- Ortega-Rivas, C., Ochoa-Bautista, R. 2004. La producción de miel en México, modernidad y tradición. *Claridades Agropecuarias*. 128:3-13.
- Paulino, N., Dantas, A. P., Bankova, V., Longhi, D. T., Scremin, A., de Castro, S. L., Calixto, J. B. 2003. Bulgarian propolis induces analgesic and anti-inflammatory effects in mice and inhibits *in vitro* contraction of airway smooth muscle. *J Pharmacol Sci*. Nov;93(3):307-13.
- Pavilonis, A., Baranauskas, A., Puidokaite, L., Mazeliene, Z., Savickas, A., Radziūnas, R. 2008. Antimicrobial activity of soft and purified propolis extracts. *Medicina (Kaunas)*. 2008;44(12):977-83.
- Prucca, C. G., Lujan, H. D. 2009. Antigenic variation in *Giardia lamblia*. Laboratory of Biochemistry and Molecular Biology, School of Medicine, Catholic University of Cordoba, Argentina. *Cellular Microbiology*.
- Ragaa, M. I. 2007. *Schistosoma mansoni*: The prophylactic and curative effects of propolis in experimentally infected mice. Department of Parasitology, Research Institute of Ophthalmology, Giza, Egypt.

- Rodney, D. A. 1991. The biology of *Giardia spp.* *Microbiological Reviews*. Dec 1991:706-732.
- Rodriguez Garcia, R., Aburto Bandala, M., Sánchez Maldonado, M. 1996. Eficacia del albendazol en el tratamiento de giardiasis en niños.
- Rubio, O. C., Cuellar Cuellar, A., Rojas, N., Castro, H. V., Rastrelli, L., Aquino, R. 1999. A polyisoprenylated benzophenone from Cuban propolis. *J Nat Prod*. Jul; 62 (7):1013-5.
- Russo, A., Cardile, V., Sanchez, F., Troncoso, N., Vanella, A., Garbarino, J. A. 2004. Chilean propolis: Antioxidant activity and antiproliferative action in human tumor cell lines. *Life Sciences*. 76(5):545-58.
- Sahinler, N., Kaftanoglu, O. 2005. Natural product propolis chemical composition. *Natural Product Research*. 19:183-188.
- Salamanca Grosso, G., Correa Carvajal, I. L., Principal, J. 2007. Perfil de flavonoides e índices de oxidación de algunos propóleos colombianos. *Zootecnia Tropical*. 25(2):95-102.
- Salatino, A., Weinstein-Teixeira, E., Negri, G., Message, D. 2005. Origin and chemical variation of Brazilian propolis. *Evidence Based Complementary and Alternative Medicine*. 2:33-38.
- Santos, F. A., Bastos, E. M. A., Uzeda, M., Carvalho, M. A. R., Farias, L. M., Moerira, E. S. A., Braga, F. C. 2002. Antibacterial activity of Brazilian propolis and fractions against oral anaerobic bacteria. *J Ethnopharmacology*. 80: 1-7.
- Secretaría de Agricultura y Recursos Hidráulicos (S.A.R.H). 2004. Dirección URL: www.sagarhpa.sonora.gob.mx <Ultimo acceso: Mayo 2004>.
- Secretaría de Salud. 2003. Sistema Único para la Vigilancia Epidemiológica. Dirección General de Epidemiología.
- Secretaría de Salud. 2010. Sistema Único para la Vigilancia Epidemiológica. Dirección General de Epidemiología. <http://www.dgepi.salud.gob.mx>

- Silici, S., Kutluca, S. 2005. Chemical composition and antibacterial activity of propolis collected by three different races of honeybees in the same region. *Journal of Ethnopharmacology*. 99(1):69-73.
- Silva, B. B., Rosalen, P. L., Cury, J. A., Ikegaki, M., Souza, V. C., Esteves, A. Alencar, S. M. 2008. Chemical composition and botanical origin of red propolis, a new type of brazilian propolis. *eCAM* 2008:5:313-316.
- Syed, A. A., Hill D. R. 2003. *Giardia intestinalis*. *Current opinion in infectious diseases*. 16:453-460
- Teixeira Weinstein, E., Message, D., Negri, G., Salatino, A., Steingheta, C. 2008. Seasonal Variation, Chemical Composition and Antioxidant activity of Brazilian Propolis Samples. *eCAM Advance Access*. 7: 307-315.
- Tolosa, L., Cañizares, E. 2002. The collection, characterisation and evaluation of antimicrobial activity of propolis extracts from Campeche, Mexico. Facultad de Ciencias Químico Biológicas de la Universidad Autónoma de Campeche, México.
- Upcroft, J. A., Dunn, L. A., Wright, J. M., Benakli, K, Upcroft, P., Vanelle, P. 2006 5-Nitroimidazole Drugs Effective against Metronidazole-Resistant *Trichomonas vaginalis* and *Giardia duodenalis*. *Antimicrobial Agents and Chemotherapy*. Vol. 50:344-347.
- Uribarren Berrueta, T. 2010. Giardiasis. Recursos de Parasitología. Departamento de Microbiología y Parasitología, Facultad de Medicina de la UNAM, México.
- Uzel, A., Sorkun, K., Öncag, Ö., Cogulu, D., Gencay, Ö., Sali, B. 2005. Chemical compositions and antimicrobial activities of four different Anatolian propolis samples. *Microbiological Research* 160(2):189-95.
- Valcic, S., Montenegro, G., Timmermann, B. 1998. Lignans from Chilean propolis. *Journal Natural Products*. 61(6): 771-775.
- van Keulen, H., Macechko, P. T., Wade, S., Schaaf, S., Wallis, P., Erlandsen, S. 2002. Presence of human *Giardia* in domestic, farm and wild animals, and environmental samples suggest a zoonotic potential for giardiasis. *Vet Parasitol* 108: 97-107.

- Velázquez, C., Navarro, M., Acosta, A., Angulo, A., Domínguez, Z., Robles, R., Robles, R., Lugo, E., Goycolea, F. M., Velázquez, E. F., Astiazaran, H., Hernández, J. 2007. Antibacterial and free-radical scavenging activities of Sonoran propolis. Department of Chemistry-Biology, University of Sonora, Hermosillo, Sonora, Mexico.
- Villalobos, P., Araujo Fernández, M., Castellano J., Díaz, O., y Cheng, R. 2001. Evaluación de la eficacia anti-giardiasis del albendazol en preescolares.
- Weinstein, E. T., Negri, G., Meira, R., Message, E., Salatino, A. 2005. Plant origin of green propolis: Bee behavior, plant anatomy and chemistry. *Evidence Based Complementary and Alternative Medicine*. 2:85-9.
- WHO. 1996. The World Health Report. Geneva: World Health Organization