

REFERENCIAS

ADA. (2010). American Diabetes Association. 2010, recuperado el 10 de diciembre de 2010, de <http://www.diabetes.org/>.

Ahmed, N. 2005. Advanced glycation endproducts: role in pathology of diabetic complications. *Diabetes Research and Clinical Practice*, 67(1): 3-21.

Aitken, A., Learmonth, M. 1996. Protein determination by UV absorption. *The Protein Protocols Handbook*: 1(1): 3-6.

Aitman, T., Todd, J. 1995. Molecular genetics of diabetes mellitus. *Baillière's clinical endocrinology and metabolism*, 9(3): 631-656.

Alberti, K., Zimmet, P., Consultation, W. 1998. Definition, diagnosis and classification of diabetes mellitus and its complications. Part 1: diagnosis and classification of diabetes mellitus. Provisional report of a WHO consultation. *Diabetic Medicine*, 15(7): 539-553.

Álvarez-Félix, A., Celiz-Zepeda, S., Alejandro, V. 2006. Complicaciones crónicas en la diabetes mellitus. Prevalencia en una unidad de medicina familiar. *Revista Médica del Instituto Mexicano del Seguro Social*, 44(5): 415-421.

Arefanian, H., Djalali, M. 2002. A New Protocol for Isolation and Purification of Transferrin from Human Serum. *Iranian Journal of Public Health*, 31(1-2): 15-18.

Arndt, T. 2001. Carbohydrate-deficient transferrin as a marker of chronic alcohol abuse: a critical review of preanalysis, analysis, and interpretation. *Clinical Chemistry*, 47(1): 13-27.

- Arnold, J.N., Saldova, R., Hamid, U.M., Rudd, P.M. 2008. Evaluation of the serum N linked glycome for the diagnosis of cancer and chronic inflammation. *Proteomics*, 8(16): 3284-3293.
- Arnold, J.N., Wormald, M.R., Sim, R.B., Rudd, P.M., Dwek, R.A. 2007. The impact of glycosylation on the biological function and structure of human immunoglobulins. *Annual Review of Immunology*, 25: 21-50.
- Baker, E.N., Anderson, B.F., Baker, H.M., Haridas, M., Norris, G.E., Rumball, S.V., Smith, C.A. 1990. Metal and anion binding sites in lactoferrin and related proteins. *Pure Applied Chemistry*, 62(6): 1067-1070.
- Berliner, J., Navab, M., Fogelman, A., Frank, J., Demer, L., Edwards, P., Watson, A., Lusis, A. 1995. Atherosclerosis: basic mechanisms: oxidation, inflammation, and genetics. *Circulation*, 91(9): 2488-2496.
- Bernadette, F. 2007. Hematología: Fundamentos y aplicaciones clínicas. Medica Panamericana (2a Ed), p. 117-124. Buenos Aires.
- Campbell, B.J., Yu, L.G., Rhodes, J.M. 2001. Altered glycosylation in inflammatory bowel disease: a possible role in cancer development. *Glycoconjugate Journal*, 18(11): 851-858.
- Carchon, H., Chevigne, R., Falmagne, J., Jaeken, J. 2004. Diagnosis of congenital disorders of glycosylation by capillary zone electrophoresis of serum transferrin. *Clinical Chemistry*, 50(1): 101-111.
- Ceciliani, F., Pocacqua, V. 2007. The Acute Phase Protein 1-Acid Glycoprotein: A Model for Altered Glycosylation During Diseases. *Current Protein and Peptide Science*, 8(1): 91-108.

Coddeville, B., Carchon, H., Jaeken, J., Briand, G., Spik, G. 1998. Determination of glycan structures and molecular masses of the glycovariants of serum transferrin from a patient with carbohydrate deficient syndrome type II. *Glycoconjugate Journal*, 15(3): 265-273.

Crichton, R.R., Wilmet, S., Legssyer, R., Ward, R.J. 2002. Molecular and cellular mechanisms of iron homeostasis and toxicity in mammalian cells. *Journal of Inorganic biochemistry*, 91(1): 9-18.

Crook, M., Couchman, S., Tutt, P. 1996. Plasma fibrinogen and its relationship to plasma sialic acid in non-insulin-dependent diabetes mellitus. *Blood Coagulation & Fibrinolysis*, 7(6): 586-589.

Crook, M., Tutt, P., Pickup, J. 1993. Elevated serum sialic acid concentration in NIDDM and its relationship to blood pressure and retinopathy. *Diabetes Care*, 16(1): 57-60.

Crook, M., Tutt, P., Simpson, H., Pickup, J. 1993. Serum sialic acid and acute phase proteins in type 1 and type 2 diabetes mellitus. *Clinica Chimica Acta*, 219(1-2): 131-138.

Cylwik, B., Chrostek, L., Jakimiuk, B., Popławska, A., Szmitkowski, M. 2006. Serum level of sialic acid (SA) and carbohydrate-deficient transferrin (CDT) in type 2 diabetes mellitus with microvascular complications. *Journal of Clinical Laboratory Analysis*, 20(2): 68-73.

Dabelea, D., Hanson, R., Bennett, P., Roumain, J., Knowler, W., Pettitt, D. 1998. Increasing prevalence of type II diabetes in American Indian children. *Diabetologia*, 41(8): 904-910.

Davidson, M. 1995. Clinical implications of insulin resistance syndromes. *The American Journal of Medicine*, 99(4): 420-426.

- De Hoff, P., Brill, L., Hirsch, A. 2009. Plant lectins: the ties that bind in root symbiosis and plant defense. *Molecular Genetics and Genomics*, 282(1): 1-15.
- Debray, H., Decout, D., Strecker, G., Spik, G., Montreuil, J. 2005. Specificity of twelve lectins towards oligosaccharides and glycopeptides related to N-glycosylproteins. *European Journal of Biochemistry*, 117(1): 41-51.
- Deschamps, E.M., Miña, A., Diéguez, M. 2003. Isoformas de la transferrina: Utilidad clínica de su determinación. *Revista de Diagnóstico Biológico*, 52: 35-39.
- Esper, R., Vilariño, J., Machado, R., Paragano, A. 2008. Endothelial dysfunction in normal and abnormal glucose metabolism. *Cardiovascular Diabetology*, 45(5): 17-43.
- Festa, A., D'agostino, R., Howard, G., Mykkänen, L., Tracy, R.P., Haffner, S.M. 2000. Inflammation and microalbuminuria in nondiabetic and type 2 diabetic subjects: The Insulin Resistance Atherosclerosis Study. *Kidney International*, 58(4): 1703-1710.
- Fleming, M., Mundt, M. 2004. Carbohydrate-deficient transferrin: validity of a new alcohol biomarker in a sample of patients with diabetes and hypertension. *Journal of the American Board of Family Medicine*, 17(4): 247-255.
- Fujimoto, S., Kawakami, N., Ohara, A. 1995. Nonenzymatic glycation of transferrin: decrease of iron-binding capacity and increase of oxygen radical production. *Biological and Pharmaceutical Bulletin*, 18(3): 396-400.
- Fujimoto, W.Y., Bergstrom, R.W., Boyko, E.J., Leonetti, D.L., Newell-Morris, L.L., Wahl, P.W. 1995. Susceptibility to development of central adiposity among populations. *Obesity Research*, 3(2): 179-186.
- Fumeron, F., Péan, F., Driss, F., Balkau, B., Tichet, J., Marre, M., Grandchamp, B. 2006. Ferritin and transferrin are both predictive of the onset of hyperglycemia in men and women over 3 years. *Diabetes Care*, 29(9): 2090-2094.

- Ghiggeri, G.M., Candiano, G., Delfino, G., Queirolo, C. 1985. Electrical charge of serum and urinary albumin in normal and diabetic humans. *Kidney International*, 28(2): 168-177.
- Giugliano, D., Ceriello, A., Paolisso, G. 1996. Oxidative stress and diabetic vascular complications. *Diabetes Care*, 19(3): 257-267.
- Gomme, P., McCann, K., Bertolini, J. 2005. Transferrin: structure, function and potential therapeutic actions. *Drug Discovery Today*, 10(4): 267-273.
- Goodarzi, M.T., Fotinopoulou, A., Turner, G.A. 2002. A lectin-binding assay for the rapid characterization of the glycosylation of purified glycoproteins. *The Protein Protocols Handbook*, 1(6): 795-802.
- Guyton, A.C. y Hall, J.E. 2006. Tratado de Fisiología Médica. Elsevier (11a Ed), p. 425. Madrid, España.
- Gornik, O., Lauc, G. 2007. Enzyme linked lectin assay (ELLA) for direct analysis of transferrin sialylation in serum samples. *Clinical Biochemistry*, 40(9-10): 718-723.
- Hansen, J.E., Lund, O., Rapacki, K., Clausen, H., Mosekilde, E., Nielsen, J.O., Hansen, J.S. 1994. Glycosylation and Protein Conformation. *Protein Structure by Distance Analysis*: 247-254.
- Hanson, R.L., Imperatore, G., Bennett, P.H., Knowler, W.C. 2002. Components of the “metabolic syndrome” and incidence of type 2 diabetes. *Diabetes*, 51(10): 3120-3127.
- Hanson, R.L., Pettitt, D.J., Bennett, P.H., Narayan, K.M., Fernandes, R., de Courten, M., Knowler, W.C. 1995. Familial relationships between obesity and NIDDM. *Diabetes*, 44(4): 418-422.

Heilbronn, L., Smith, S., Ravussin, E. 2004. Failure of fat cell proliferation, mitochondrial function and fat oxidation results in ectopic fat storage, insulin resistance and type II diabetes mellitus. *International Journal of Obesity*, 28(1): 12-21.

Higai, K., Azuma, Y., Aoki, Y., Matsumoto, K. 2003. Altered glycosylation of [alpha] 1-acid glycoprotein in patients with inflammation and diabetes mellitus. *Clinica Chimica Acta*, 329(1-2): 117-125.

Hintze, J. 2001. NCSS 2001. *Number Cruncher Statistical Systems*. Kayville, Utah.

Jong, G., Feelders, R., Noort, W., Eijk, H. 1995. Transferrin microheterogeneity as a probe in normal and disease states. *Glycoconjugate Journal*, 12(3): 219-226.

Kanwar, Y.S., Wada, J., Sun, L., Xie, P., Wallner, E.I., Chen, S., Chugh, S., Danesh, F.R. 2008. Diabetic nephropathy: mechanisms of renal disease progression. *Experimental Biology and Medicine*, 233(1): 4-11.

Kazumi, T., Hozumi, T., Ishida, Y., Ikeda, Y., Kishi, K., Hayakawa, M., Yoshino, G. 1999. Increased urinary transferrin excretion predicts microalbuminuria in patients with type 2 diabetes. *Diabetes Care*, 22(7): 1176-1180.

Kemp, S.F., Creech, R.H., Horn, T.R. 1984. Glycosylated Albumin and Transferrin - Short-Term Markers of Blood-Glucose Control. *Journal of Pediatrics*, 105(3): 394-398.

Klein, R. 1995. Hyperglycemia and microvascular and macrovascular disease in diabetes. *Diabetes Care*, 18(2): 258-268.

Klemm, T., Paschke, R. 2000. Mögliche genetische Ursachen für Spätkomplikationen des Diabetes mellitus. *Medizinische Klinik*, 95(1): 31-39.

Laakso, M. 1999. Hyperglycemia and cardiovascular disease in type 2 diabetes. *Diabetes*, 48(5): 937-942.

Laakso, M. 2001. Cardiovascular disease in type 2 diabetes: challenge for treatment and prevention. *Journal of Internal Medicine*, 249(3): 225-235.

Lacey, J., Bergen, H., Magera, M., Naylor, S., O'Brien, J. 2001. Rapid determination of transferrin isoforms by immunoaffinity liquid chromatography and electrospray mass spectrometry. *Clinical Chemistry*, 47(3): 513-518.

Laemmli, V. 1970. Determination of protein molecular weight in polyacrylamide gels. *Nature*, 227: 680-685.

Lourin, O., Mattu, T.S., Mian, N., Keir, G., Winchester, B., Dwek, R.A., Rudd, P.M. 1996. The identification of abnormal glycoforms of serum transferrin in carbohydrate deficient glycoprotein syndrome type I by capillary zone electrophoresis. *Glycoconjugate Journal*, 13(6): 1031-1042.

OMS. (2010). Organización Mundial de la Salud. 2010, recuperado el 10 de diciembre e 2010, de <http://www.who.int/es/>

Mårtensson, O., Härlin, A., Brandt, R., Seppä, K., Sillanauke, P. 1997. Transferrin isoform distribution: gender and alcohol consumption. *Alcoholism: Clinical and Experimental Research*, 21(9): 1710-1715.

Martínez-Duncker, I., Palomares-Aguilera, L., Sánchez-Francia, D., Mollicone, R., Ibarra-González, I. 2008. Trastornos congénitos de la glicosilación: abordaje clínico y de laboratorio. *Acta Pediátrica de México*, 29(2): 78-88.

McCance, D., Dyer, D., Dunn, J., Bailie, K., Thorpe, S., Baynes, J., Lyons, T. 1993. Maillard reaction products and their relation to complications in insulin-dependent diabetes mellitus. *Journal of Clinical Investigation*, 91(6): 2470-2478.

Mckenzie, S.B. 2000. Hematología Clínica. Editorial El Manual Moderno (2a Ed), p. 147-162. México.

McNaught, A., Wilkinson, A. 1997. IUPAC Compendium of Chemical Terminology, Blackwell Scientific Publications (2a Ed), p. 86. Oxford.

Memisogullari, R., Bakan, E. 2004. Levels of ceruloplasmin, transferrin, and lipid peroxidation in the serum of patients with Type 2 diabetes mellitus. *Journal of Diabetes and its Complications*, 18(4): 193-197.

Memisogullari, R., Taysi, S., Bakan, E., Capoglu, I. 2003. Antioxidant status and lipid peroxidation in type II diabetes mellitus. *Cell Biochemistry and Function*, 21(3): 291-296.

Morgan, E. 1981. Transferrin, biochemistry, physiology and clinical significance. *Molecular Aspects of Medicine*, 4(1): 1-123.

Murakami, T., Shima, K. 1995. Diabetogenes; which cause type II diabetes mellitus. *Rinsho Byori / The Japanese Journal of Clinical Pathology*, 43(8): 781-785.

Narita, T., Sasaki, H., Hosoba, M., Miura, T., Yoshioka, N., Morii, T., Shimotomai, T., Koshimura, J., Fujita, H., Kakei, M. 2004. Parallel increase in urinary excretion rates of immunoglobulin G, ceruloplasmin, transferrin, and orosomucoid in normoalbuminuric type 2 diabetic patients. *Diabetes Care*, 27(5): 1176-1181.

Nourooz-Zadeh, J., Tajaddini-Sarmadi, J., McCarthy, S., Betteridge, D., Wolff, S. 1995. Elevated levels of authentic plasma hydroperoxides in NIDDM. *Diabetes*, 44(9): 1054-1058.

O'Donnell, M., Martin, P., Florkowski, C., Toop, M., Chapman, C., Holder, R., Barnett, A. 1991. Urinary transferrin excretion in type 1 (insulin-dependent) diabetes mellitus. *Diabetic Medicine*, 8(7): 657-661.

Orntoft, T.F., Vestergaard, E.M. 1999. Clinical aspects of altered glycosylation of glycoproteins in cancer. *Electrophoresis*, 20(2): 362-371.

- Ozben, T., Nacitarhan, S., Tuncer, N. 1995. Plasma and urine sialic acid in non-insulin dependent diabetes mellitus. *Annals of Clinical Biochemistry*, 32(3): 303-306.
- Pagano, M., Gauvreau, K. 2001. Fundamentos de Bioestadística (2a Ed), p. 259-284. Thomson Learning. México.
- Pérez, J. 2006. Manual de Patología General. Elsevier (6a Ed), p. 402-404. Barcelona, España.
- Porath, J., Carlsson, J., Olsson, I., Belfrage, G. 1975. Metal chelate affinity chromatography, a new approach to protein fractionation. *Nature*, 258(5536): 598-599.
- Porath, J. 1988. IMAC--Immobilized metal ion affinity based chromatography. *TrAC Trends in Analytical Chemistry*, 7(7): 254-259.
- Quinn, L. 2001. Type 2 diabetes: epidemiology, pathophysiology, and diagnosis. *Nursing Clinics of North America*, 36(2): 175-192.
- Ritchie, R., Palomaki, G., Neveux, L., Navolotskaia, O., Ledue, T., Craig, W. 1999. Reference distributions for the negative acute-phase serum proteins, albumin, transferrin and transthyretin: a practical, simple and clinically relevant approach in a large cohort. *Journal of Clinical Laboratory Analysis*, 13(6): 273-279.
- Rüdiger, H., Gabius, H. 2001. Plant lectins: occurrence, biochemistry, functions and applications. *Glycoconjugate Journal*, 18(8): 589-613.
- Sanz-Nebot, V., Gonzalez, P., Toro, I., Ribes, A., Barbosa, J. 2003. Characterization of human transferrin glycoforms by capillary electrophoresis and electrospray ionization mass spectrometry. *Journal of Chromatography B*, 798(1): 1-7.
- Schmidt, M.I., Duncan, B.B., Sharrett, A.R., Lindberg, G., Savage, P.J., Offenbacher, S., Azambuja, M.I., Tracy, R.P., Heiss, G. 1999. Markers of inflammation and prediction of

diabetes mellitus in adults (Atherosclerosis Risk in Communities study): a cohort study. *The Lancet*, 353(9165): 1649-1652.

Schulz, L., Bennett, P., Ravussin, E., Kidd, J., Kidd, K., Esparza, J., Valencia, J. 2006. Effects of traditional and western environments on prevalence of type 2 diabetes in Pima Indians in Mexico and the US. *Diabetes Care*, 29(8): 1866-1871.

Sharon, N., Lis, H. 2007. Lectins. Springer (2a Ed), p. 63-103. Dordrecht, The Netherlands.

Sillanaukee, P., Ponnio, M., Jaaskelainen, I. 1999. Occurrence of sialic acids in healthy humans and different disorders. *European Journal of Clinical Investigation*, 29(5): 413-425.

Sönmez, H., Öztürk, Z., Ulutin, T., Domaniç, N., Kökolu, E. 2000. Carbohydrate-deficient transferrin and sialidase levels in coronary heart disease. *Thrombosis Research*, 99(4): 311-315.

Stibler, H. 1991. Carbohydrate-deficient transferrin in serum: a new marker of potentially harmful alcohol consumption reviewed. *Clinical Chemistry*, 37(12): 2029-2037.

Stibler, H., Allgulander, C., Borg, S., Kjellin, K. 1978. Abnormal microheterogeneity of transferrin in serum and cerebrospinal fluid in alcoholism. *Acta Medica Scandinavica*, 204(16): 49-56.

Stibler, H., Borg, S., Allgulander, C. 1979. Clinical significance of abnormal heterogeneity of transferrin in relation to alcohol consumption. *Acta Medica Scandinavica*, 206(16): 275-281.

Stoscheck, C. M. 1990. Quantitation of protein. *Methods in Enzymology*, 182: 50-68.

Sumar, N., Bodman, K., Rademacher, T., Dwek, R., Williams, P., Parekh, R., Edge, J., Rook, G., Isenberg, D., Hay, F. 1990. Analysis of glycosylation changes in IgG using lectins. *Journal of Immunological Methods*, 131(1): 127-136.

Thomas, M., MacIsaac, R., Tsalamandris, C., Jerums, G. 2004. Elevated iron indices in patients with diabetes. *Diabetic Medicine*, 21(7): 798-802.

Tortora, G., Grabowski, S. 2002. Principios de Anatomía y Fisiología. Oxford (9a Ed), p. 624-625. México.

Turner, G. 1992. N-glycosylation of serum proteins in disease and its investigation using lectins. *Clinica Chimica Acta*, 208(3): 149-171.

Van Campenhout, A., Van Campenhout, C., Lagrou, A., Manuel-y-Keenoy, B. 2003. Transferrin modifications and lipid peroxidation: implications in diabetes mellitus. *Free Radical Research*, 37(10): 1069-1077.

Van Dam, P., Gispen, W., Bravenboer, B., Van Asbeck, B., Erkelens, D., Marx, J. 1995. The role of oxidative stress in neuropathy and other diabetic complications. *Diabetes/Metabolism Reviews*, 11(3): 181-192.

Van Noort, W., De Jong, G., Van Eijk, H. 1994. Purification of isotransferrins by concanavalin A Sepharose chromatography and preparative isoelectric focusing. *Clinical Chemistry and Laboratory Medicine*, 32(12): 885-892.

Van Rensburg, S., Berman, P., Potocnik, F., Taljaard, J. 2000. Glycosylation of transferrin in Alzheimer's disease and alcohol-induced dementia. *Metabolic Brain Disease*, 15(4): 243-247.

Varki, A., Cummings, R., Esko, J., Freeze, H., Stanley, P., Bertozzi, C., Hart, G., Etzler, M. 2009. Essentials of glycobiology. CSH Press (2a Ed), p. 1919-1921. La Jolla, CA.

Vázquez-Martínez, J. L., Gómez-Dantés, H., Fernández-Cantón, S. 2006. Diabetes mellitus en población adulta del IMSS. Resultados de la Encuesta Nacional de Salud 2000. *Revista Médica del Instituto Mexicano del Seguro Social*, 44(1): 13-26.

Vázquez-Moreno, L., Candia-Plata, M. 1996. Scale up isolation of immunoglobulins from pig serum by immobilized metal affinity chromatography. *Journal of Food Biochemistry*, 19(5): 367-380.

Vázquez-Moreno, L., Candia-Plata, M., Robles-Burgueño, M. 2001. Hypersialylated macromolecular serum immunoglobulin A1 in type 2 diabetes mellitus. *Clinical Biochemistry*, 34(1): 35-41.

Vázquez-Moreno, L., Porath, J., Schluter, S., Marchalonis, J. 1992. Purification of a novel heterodimer from shark (*Carcharhinus plumbeus*) serum by gel-immobilized metal chromatography. *Comparative Biochemistry and Physiology Part B: Comparative Biochemistry*, 103(3): 563-568.

Vivekanadan-Giri, A., Wang, J., Byun, J., Pennathur, S. 2008. Mass spectrometric quantification of amino acid oxidation products identifies oxidative mechanisms of diabetic end-organ damage. *Reviews in Endocrine & Metabolic Disorders*, 9(4): 275-287.

Voet, D., Voet, J. G., Pratt, C. 2007. Fundamentos de Bioquímica: la vida a nivel molecular. Médica Panamericana, (2a Ed), p: 206-231. Buenos Aires.

WHO. (2010). World Health Organization. 2010, recuperado el 10 de diciembre de 2010, de <http://www.who.int/en/>

Wild, S., Roglic, G., Green, A., Sicree, R., King, H. 2004. Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care*, 27(10): 2569.

Wolff, S., Jiang, Z., Hunt, J. 1991. Protein glycation and oxidative stress in diabetes mellitus and ageing. *Free Radical Biology and Medicine*, 10(5): 339-352.

Worthley, D., Harvey, N., Hill, N., Walsh, R., Edwards, J., Roberts, A. 2001. Urinary transferrin and albumin concentrations in patients with type 1 diabetes and normal controls: the search for the first protein lost. *Clinical Biochemistry-New York*, 34(1): 83-86.

Wright, C.S. 1992. Crystal structure of a wheat germ agglutinin/glycophorin-sialoglycopeptide receptor complex. Structural basis for cooperative lectin-cell binding. *Journal of Biological Chemistry*, 267(20): 14345-14352.

Wuyts, B., Delanghe, J.R., Kasvosve, I., Wauters, A., Neels, H., Janssens, J. 2001. Determination of carbohydrate-deficient transferrin using capillary zone electrophoresis. *Clinical Chemistry*, 47(2): 247-255.

Zimmet, P. 2000. Prevalence and risk factors in diabetes and its complications. *Journal of the Japan Diabetic Society*, 43(5): 46.